



SAFETY DATA SHEET SUPER GRES EP 0

According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended.
Commission Regulation (EU) 2020/878 of 18 June 2020.

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name SUPER GRES EP 0
Product number 43121

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Grease.
Uses advised against Use only for intended applications.

1.3. Details of the supplier of the safety data sheet

Supplier PETROL OFİSİ A.Ş.
Ünalın Mahallesi, Libadiye Caddesi No: 82F Kat: 2-3-4, 34700 Üsküdar/ İstanbul
Tel: +90 850 339 1919
Fax: +90 216 275 3854
madeniyag@petrolofisi.com.tr

Contact person Customer Services: madeniyag@petrolofisi.com.tr

1.4. Emergency telephone number

Emergency telephone Madeni Yağ Customer Services: 0850 339 1919 (working hours)
National emergency telephone number National Poison Consultance Center: 114 Emergency Medical Services: 112

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

Physical hazards Not Classified
Health hazards Eye Irrit. 2 - H319
Environmental hazards Aquatic Chronic 3 - H412

Human health Prolonged skin contact may cause temporary irritation. Splashes in the eyes may cause redness and irritation.

Environmental The product is not expected to be hazardous to the environment.

2.2. Label elements

Hazard pictograms



Signal word Warning

Hazard statements EUH208 Contains N-1-naftilanilin. May produce an allergic reaction.
H319 Causes serious eye irritation.
H412 Harmful to aquatic life with long lasting effects.



SUPER GRES EP 0

According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended.
Commission Regulation (EU) 2020/878 of 18 June 2020.

Precautionary statements

P264 Wash contaminated skin thoroughly after handling.
 P273 Avoid release to the environment.
 P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.
 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P337+P313 If eye irritation persists: Get medical advice/ attention.
 P501 Dispose of contents/ container in accordance with national regulations.

2.3. Other hazards

Not applicable.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Distillates (petroleum), hydrotreated heavy paraffinic	60-80%
CAS number: 64742-54-7	EC number: 265-157-1
	REACH registration number: 01-2119484627-25-0033

Classification

Not Classified

Distillates (petroleum), hydrotreated heavy naphthenic	25-40%
CAS number: 64742-52-5	EC number: 265-155-0

Classification

Not Classified

Phosphorodithioic acid, mixed O,O-bis (2-ethylhexyl and iso-Bu and pentyl) esters, zinc salts	1-5%
CAS number: —	EC number: 273-527-9

Classification

Skin Irrit. 2 - H315
 Eye Dam. 1 - H318
 Aquatic Chronic 2 - H411

2,6-di-tert-butylphenol	1-5%
CAS number: 128-39-2	EC number: 204-884-0
M factor (Acute) = 1	M factor (Chronic) = 1

Classification

Skin Irrit. 2 - H315
 Aquatic Acute 1 - H400
 Aquatic Chronic 1 - H410



SUPER GRES EP 0

According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended.
Commission Regulation (EU) 2020/878 of 18 June 2020.

Bis(nonilfenil)amin	<1%
CAS number: 36878-20-3	EC number: 253-249-4
Classification	
Aquatic Chronic 4 - H413	
Reaction products of Dihydro-3-(tetrapropenyl) furan-2,5 dione with Propane-1,2,diol	<1%
CAS number: —	EC number: 947-696-0
Classification	
Acute Tox. 4 - H302	
Skin Irrit. 2 - H315	
Eye Dam. 1 - H318	
Aquatic Chronic 3 - H412	
Hidrokarbonlar,C10-13,aromatikler,<1%,naftalen	<1%
CAS number: —	EC number: 922-153-0
Classification	
Asp. Tox. 1 - H304	
Aquatic Chronic 2 - H411	
N-1-naftilanilin	<1%
CAS number: 90-30-2	EC number: 201-983-0
M factor (Acute) = 1	M factor (Chronic) = 1
Classification	
Acute Tox. 4 - H302	
Skin Sens. 1B - H317	
STOT RE 2 - H373	
Aquatic Acute 1 - H400	
Aquatic Chronic 1 - H410	
Fuelsi diesel	<1%
CAS number: 68334-30-5	EC number: 269-822-7
Classification	
Carc. 2 - H351	

The full text for all hazard statements is displayed in Section 16.

Composition comments

Some substances are not classified by legislation.They are self classified by the manufacturer. The DMSO extract by IP 346 of the oil is less than 3%

Ingredient notes

See Section 8 for occupational exposure limits.

SECTION 4: First aid measures



SUPER GRES EP 0

According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended.
Commission Regulation (EU) 2020/878 of 18 June 2020.

4.1. Description of first aid measures

General information	Get medical attention if any discomfort continues.
Inhalation	Move affected person to fresh air at once. Rinse nose and mouth with water. Get medical attention if any discomfort continues.
Ingestion	Never give anything by mouth to an unconscious person. Do not induce vomiting. Rinse mouth thoroughly with water. Get medical attention if any discomfort continues.
Skin contact	Remove affected person from source of contamination. Remove contaminated clothing. Wash skin thoroughly with soap and water. Get medical attention if any discomfort continues.
Eye contact	Remove affected person from source of contamination. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes and get medical attention.
Protection of first aiders	First aid personnel should wear appropriate protective equipment during any rescue.

4.2. Most important symptoms and effects, both acute and delayed

General information	Treat symptomatically.
Inhalation	No specific symptoms known.
Ingestion	No specific symptoms known.
Skin contact	No specific symptoms known.
Eye contact	Causes eye irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor	Treat symptomatically.
Specific treatments	Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire.
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture

Specific hazards	Not known.
Hazardous combustion products	None known.

5.3. Advice for firefighters

Protective actions during firefighting	Avoid breathing fire gases or vapours.
Special protective equipment for firefighters	Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions	Wear protective clothing as described in Section 8 of this safety data sheet.
For non-emergency personnel	Necessary precautions should be taken to ensure that non-educated personnel do not intervene.



SUPER GRES EP 0

According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended. Commission Regulation (EU) 2020/878 of 18 June 2020.

For emergency responders	Notification: In case of spillage, notify the local authorities as appropriate or as necessary. Stop the leakage source if it can be done without risk. Limit spillage to prevent further contamination of soil, surface or ground water. Remove any spilled material as soon as possible by following the precautions in the section Exposure Controls / Personal Protection. Use suitable techniques such as non-flammable absorbent materials or pumping. When possible or appropriate, remove the contaminated soil from the area. Place contaminated products in disposable boxes and dispose of in accordance with regulations. If a heated material is spilled, allow it to cool before handling with disposal methods. Proper ventilation should be provided.
6.2. Environmental precautions	
Environmental precautions	Do not discharge into drains or watercourses or onto the ground.
6.3. Methods and material for containment and cleaning up	
Methods for cleaning up	Stop leak if possible without risk. Absorb in vermiculite, dry sand or earth and place into containers. Flush contaminated area with plenty of water. Avoid the spillage or runoff entering drains, sewers or watercourses.
6.4. Reference to other sections	
Reference to other sections	See Section 7 for more information on safe handling. For personal protection, see Section 8. See Section 1 for emergency contact information. For waste disposal, see Section 13. See Section 11 for additional information on health hazards. See Section 12 for additional information on ecological hazards.

SECTION 7: Handling and storage

7.1. Precautions for safe handling	
Usage precautions	Avoid spilling. Avoid contact with skin and eyes.
Advice on general occupational hygiene	Do not eat, drink or smoke when using this product. Take off immediately all contaminated clothing and wash it before reuse. Wash after use and before eating, smoking and using the toilet. Wash hands and any other contaminated areas of the body with soap and water before leaving the work site.
7.2. Conditions for safe storage, including any incompatibilities	
Storage precautions	Store in tightly-closed, original container in a dry, cool and well-ventilated place. Keep only in the original container.
Storage class	Chemical storage.
7.3. Specific end use(s)	
Specific end use(s)	The identified uses for this product are detailed in Section 1.2.
Usage description	The product must be used as specified in the data sheet.

SECTION 8: Exposure controls/Personal protection

8.1. Control parameters	
Occupational exposure limits	
Distillates (petroleum), hydrotreated heavy paraffinic	
Oil mist: TWA: 5 mg/m ³ (ACGIH). In no case should this limit be exceeded or the local limit, if it is more restrictive.	
Distillates (petroleum), hydrotreated heavy naphthenic	
Mineral Oil; TWA: 5 mg/m ³ , ACGIH (United States)	
Ingredient comments	WEL = Workplace Exposure Limits
Biological limit values	No information available.



SUPER GRES EP 0

According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended.
Commission Regulation (EU) 2020/878 of 18 June 2020.

DNEL	No other information known.
DMEL	No other information known.
PNEC	No other information known.

Phosphorodithioic acid, mixed O,O-bis (2-ethylhexyl and iso-Bu and pentyl) esters, zinc salts

DNEL	Workers - Dermal; Long term systemic effects: 9,6 mg/kg, bw/day Consumer - Dermal; Long term systemic effects: 4,8 mg/kg, bw/day Consumer - Oral; Long term systemic effects: 0,19 mg/kg, bw/day
PNEC	- Water; 0,004 mg/l

2,6-di-tert-butylphenol (CAS: 128-39-2)

DNEL	Workers - Dermal; Long term systemic effects: 11,25 mg/kg, bw/day Workers - Inhalation; Long term systemic effects: 70,61 mg/m ³ Consumer - Oral; Long term systemic effects: 6,75 mg/kg, bw/day Consumer - Inhalation; Long term systemic effects: 20,9 mg/m ³
PNEC	- Water; 0,00045 mg/l - marine water; 0,000045 mg/l

Damıtıklar (petrol), hidrojenle muamele edilmiş ağır parafinik (CAS: 64742-54-7)

DNEL	Workers - Inhalation; Long term : 5,4 mg/m ³ Consumer - Inhalation; Long term : 1,2 mg/m ³
PNEC	Oral Value: 9,33 mg/kg

Bis(nonilfenil)amin (CAS: 36878-20-3)

PNEC	Water; 0,1 mg/l
-------------	-----------------

Reaction products of Dihydro-3-(tetrapropenyl) furan-2,5 dione with Propane-1,2,diol

DNEL	Workers - Dermal; Long term systemic effects: 4 mg/kg, bw/day Consumer - Dermal; Long term systemic effects: 2 mg/kg, bw/day Consumer - Oral; Long term systemic effects: 2 mg/kg, bw/day
-------------	---

Distillates (petroleum) solvent dewaxed heavy paraffinic (CAS: 64742-65-0)

DNEL	Workers - Inhalation; Long term : 5,4 mg/m ³
PNEC	Oral Value: 9,33 mg/kg

N-1-naftilanilin (CAS: 90-30-2)

DNEL	Workers - Dermal; Long term systemic effects: 0,05 mg/kg
PNEC	Water; 0,0002 mg/l

8.2. Exposure controls



SUPER GRES EP 0

According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended.
Commission Regulation (EU) 2020/878 of 18 June 2020.

Protective equipment



Appropriate engineering controls	Provide adequate ventilation. Avoid inhalation of vapours. Observe any occupational exposure limits for the product or ingredients.
Personal protection	Koruyucu elbise ve önlüklerin düzenli bakımı yapılmalıdır.
Eye/face protection	Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. The following protection should be worn: Chemical splash goggles or face shield.
Hand protection	Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible.
Other skin and body protection	Wear appropriate clothing to prevent any possibility of skin contact.
Hygiene measures	Provide eyewash station. Do not smoke in work area. Wash at the end of each work shift and before eating, smoking and using the toilet. Promptly remove any clothing that becomes contaminated. Use appropriate skin cream to prevent drying of skin. When using do not eat, drink or smoke.
Respiratory protection	No specific recommendations. Respiratory protection may be required if excessive airborne contamination occurs.
Thermal hazards	If there is a risk of contact with hot product, all protective equipment worn should be suitable for use with high temperatures.
Environmental exposure controls	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. Store in a demarcated bunded area to prevent release to drains and/or watercourses.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	Semi-solid
Colour	Yellow.
Odour	Characteristic.
Odour threshold	Inconclusive data.
pH	Scientifically unjustified.
Melting point	Inconclusive data.
Initial boiling point and range	Inconclusive data.
Flash point	~ 200 damlama noktası-dropping point°C
Evaporation rate	Inconclusive data.
Evaporation factor	Inconclusive data.
Flammability (solid, gas)	Inconclusive data.
Upper/lower flammability or explosive limits	Inconclusive data.
Other flammability	Inconclusive data.



SUPER GRES EP 0

According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended.
Commission Regulation (EU) 2020/878 of 18 June 2020.

Vapour pressure	Inconclusive data.
Vapour density	Inconclusive data.
Relative density	Inconclusive data.
Bulk density	Inconclusive data.
Solubility(ies)	Insoluble in water.
Partition coefficient	Inconclusive data.
Auto-ignition temperature	Inconclusive data.
Decomposition Temperature	Inconclusive data.
Viscosity	Inconclusive data.
Explosive properties	Inconclusive data.
Explosive under the influence of a flame	Inconclusive data.
Oxidising properties	Inconclusive data.
Comments	No other information known.
Particle characteristic	Not applicable.
9.2. Other information	
Other information	Not applicable.
Refractive index	No information required.
Particle size	No information required.
Molecular weight	No information required.
Volatility	No information required.
Saturation concentration	No information required.
Critical temperature	No information required.
Volatile organic compound	No information required.

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity This product is stable under normal conditions.

10.2. Chemical stability

Stability Stable at normal ambient temperatures.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None known.

10.4. Conditions to avoid

Conditions to avoid Avoid excessive heat for prolonged periods of time. Avoid contact with strong oxidising agents.

10.5. Incompatible materials



SUPER GRES EP 0

According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended.
Commission Regulation (EU) 2020/878 of 18 June 2020.

Materials to avoid Strong reducing agents. Strong oxidising agents. Strong alkalis. Strong acids.

10.6. Hazardous decomposition products

Hazardous decomposition products None known.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Information on hazard classes as defined in Regulation (EC) No 1272/2008

Other health effects Based on available data the classification criteria are not met.

Toxicological effects Based on available data the classification criteria are not met.

Acute toxicity - oral Summary Based on available data the classification criteria are not met.

Notes (oral LD₅₀) Based on available data the classification criteria are not met.

Acute toxicity - dermal Summary Based on available data the classification criteria are not met.

Notes (dermal LD₅₀) Based on available data the classification criteria are not met.

Acute toxicity - inhalation Summary Based on available data the classification criteria are not met.

Notes (inhalation LC₅₀) Based on available data the classification criteria are not met.

Skin corrosion/irritation Summary No other information known.

Skin corrosion/irritation Based on available data the classification criteria are not met.

Animal data No other information known.

Human skin model test No other information known.

Extreme pH No other information known.

Serious eye damage/irritation Summary Causes eye irritation.

Serious eye damage/irritation Irritation of eyes is assumed.

Respiratory sensitisation Summary No other information known.

Respiratory sensitisation No other information known.

Skin sensitisation Summary No other information known.

Skin sensitisation No other information known.

Germ cell mutagenicity



SUPER GRES EP 0

According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended.
Commission Regulation (EU) 2020/878 of 18 June 2020.

Summary	No other information known.
Genotoxicity - in vitro	No other information known.
Genotoxicity - in vivo	No other information known.
Carcinogenicity	
Summary	No other information known.
Carcinogenicity	No other information known.
Target organ for carcinogenicity	No other information known.
IARC carcinogenicity	No other information known.
NTP carcinogenicity	No other information known.
Reproductive toxicity	
Summary	No other information known.
Reproductive toxicity - fertility	No other information known.
Reproductive toxicity - development	No other information known.
Specific target organ toxicity - single exposure	
Summary	No other information known.
STOT - single exposure	No other information known.
Target organs	No other information known.
Specific target organ toxicity - repeated exposure	
Summary	No other information known.
STOT - repeated exposure	No other information known.
Target organs	No other information known.
Aspiration hazard	
Summary	No other information known.
Aspiration hazard	No other information known.
Toxicokinetics	No other information known.
General information	No other information known.
Inhalation	Gas or vapour in high concentrations may irritate the respiratory system. Symptoms following overexposure may include the following: Coughing.
Ingestion	May cause discomfort if swallowed.
Skin contact	Liquid may irritate skin.
Eye contact	Irritation of eyes is assumed.
Acute and chronic health hazards	No other information known.
Route of exposure	No other information known.



SUPER GRES EP 0

According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended.
Commission Regulation (EU) 2020/878 of 18 June 2020.

Target organs No other information known.

Medical symptoms No other information known.

Medical considerations No other information known.

11.2 Information on other hazards

Information on other hazards This product does not have endocrine disrupting properties.

Toxicological information on ingredients.

Distillates (petroleum), hydrotreated heavy paraffinic

Acute toxicity - oral

Notes (oral LD₅₀) LD₅₀ >2000 mg/kg, Oral,

Acute toxicity - dermal

Notes (dermal LD₅₀) LD₅₀ >2000 mg/kg, Dermal,

Carcinogenicity

Summary

The base oils in the product content contain less than 3% DMSO according to IP 346.

Distillates (petroleum), hydrotreated heavy naphthenic

Acute toxicity - oral

Notes (oral LD₅₀) LD₅₀ >5000 mg/kg, Oral, Rat

Acute toxicity - dermal

Notes (dermal LD₅₀) LD₅₀ >5000 mg/kg, Dermal, Rabbit

Acute toxicity - inhalation

Notes (inhalation LC₅₀) LC50 >5,53 mg/l, 4 hour, Dust/Mist Rat

Skin corrosion/irritation

Skin corrosion/irritation Not irritating.

Serious eye damage/irritation

Serious eye damage/irritation Not irritating.

Skin sensitisation

Skin sensitisation Not sensitising.

Germ cell mutagenicity

Genotoxicity - in vitro Chromosome aberration: Negative.

Carcinogenicity

Carcinogenicity Negative., Dermal, Mouse, Female

Reproductive toxicity

Reproductive toxicity - development Teratogenicity: - : Negative., Dermal, Rat

Phosphorodithioic acid, mixed O,O-bis (2-ethylhexyl and iso-Bu and pentyl) esters, zinc salts



SUPER GRES EP 0

According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended.
Commission Regulation (EU) 2020/878 of 18 June 2020.

Acute toxicity - oral

Notes (oral LD₅₀) LD₅₀ 3600 mg/kg, Oral, Rat NOAEL, Sub-akut 125 mg/kg, Oral, Rat

Acute toxicity - dermal

Notes (dermal LD₅₀) LD₅₀ 13800 mg/kg, Dermal, Rabbit

Acute toxicity - inhalation

Notes (inhalation LC₅₀) LC50 >2 mg/l, 1 hour, Vapour Rat

Skin sensitisation

Skin sensitisation Not sensitising.

Germ cell mutagenicity

Genotoxicity - in vitro Gene mutation: Positive. Bacterial reverse mutation test: Negative.

Reproductive toxicity

Reproductive toxicity - fertility Fertility - Negative., Oral, Rat, Male

Reproductive toxicity - development Maternal toxicity: - : Positive., Oral, Rat, Male Developmental toxicity: - : Ambiguous uncertain, Oral, Rat, Male

2,6-di-tert-butylphenol

Acute toxicity - oral

Notes (oral LD₅₀) LD₅₀ >5000 mg/kg, Oral, Rat NOAEL, Sub-kronik 270 mg/kg, Oral, Rat NOAEL, Sub-akut 100 mg/kg, Oral, Rat

Acute toxicity - dermal

Notes (dermal LD₅₀) LD₅₀ >10000 mg/kg, Dermal, Rabbit

Skin corrosion/irritation

Skin corrosion/irritation Skin irritation.

Serious eye damage/irritation

Serious eye damage/irritation Not irritating.

Skin sensitisation

Skin sensitisation Not sensitising.

Germ cell mutagenicity

Genotoxicity - in vitro Bacterial reverse mutation test: Negative. Chromosome aberration: Negative.

Reproductive toxicity

Reproductive toxicity - fertility Fertility - Negative., Oral, Rat

Reproductive toxicity - development Developmental toxicity: - : Ambiguous uncertain, Oral, Rat Maternal toxicity: - : Positive., Oral, Rat

Damıtıklar (petrol), hidrojenle muamele edilmiş ağır parafinik

Acute toxicity - oral

Notes (oral LD₅₀) LD₅₀ >5000 mg/kg, Oral, Rat LOAEL, Sub-kronik 125 mg/kg, Oral, Rat



SUPER GRES EP 0

According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended.
Commission Regulation (EU) 2020/878 of 18 June 2020.

Acute toxicity - dermal

Notes (dermal LD₅₀) LD₅₀ >5000 mg/kg, Dermal, Rabbit NOAEL, Sub-kronik 30 mg/kg, Dermal, Rat, Female NOAEL, Sub-akut 1000 mg/kg, Dermal, Rabbit

Acute toxicity - inhalation

Notes (inhalation LC₅₀) LC₅₀ >5,53 mg/l, 4 hour, Vapour Rat NOAEL, Sub-kronik 0,22 mg/l, 4 week, Dust/Mist Rat NOAEL, Sub-kronik 0,15 mg/l, 13 week, Dust/Mist Rat

Skin corrosion/irritation

Skin corrosion/irritation Not irritating.

Serious eye damage/irritation

Serious eye damage/irritation Not irritating.

Skin sensitisation

Skin sensitisation Not sensitising.

Germ cell mutagenicity

Genotoxicity - in vitro Bacterial reverse mutation test: Negative. Chromosome aberration: Negative.

Carcinogenicity

Carcinogenicity 78 week, Negative., Dermal, Mouse

Reproductive toxicity

Reproductive toxicity - fertility Fertility - Negative., Oral, Rat

Reproductive toxicity - development

Teratogenicity: - : Negative., Dermal, Rat Maternal toxicity: - Negative.: , Oral, Rat
Developmental toxicity: - Negative.: , Oral, Rat

Bis(nonilfenil)amin

Acute toxicity - oral

Notes (oral LD₅₀) LD₅₀ >5000 mg/kg, Oral, Rat LOAEL, Sub-kronik 100 mg/kg, Oral, Rat

Acute toxicity - dermal

Notes (dermal LD₅₀) LD₅₀ >2000 mg/kg, Dermal, Rat

Skin corrosion/irritation

Skin corrosion/irritation Moderately irritating.

Skin sensitisation

Skin sensitisation Not sensitising.

Germ cell mutagenicity

Genotoxicity - in vitro Bacterial reverse mutation test: Negative. Chromosome aberration: Negative. Rodent Dominant Lethal Test: Negative.

Reproductive toxicity

Reproductive toxicity - development Teratogenicity: - : Negative., Oral, Rat

Reaction products of Dihydro-3-(tetrapropenyl) furan-2,5 dione with Propane-1,2,diol



SUPER GRES EP 0

According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended.
Commission Regulation (EU) 2020/878 of 18 June 2020.

Acute toxicity - oral

Notes (oral LD₅₀) LD₅₀ 2000 mg/kg, Oral, Rat NOAEL, Sub-kronik 300 mg/kg, Oral, Rat

ATE oral (mg/kg) 500.0

Acute toxicity - dermal

Notes (dermal LD₅₀) LD₅₀ >2000 mg/kg, Dermal, Rat

Skin corrosion/irritation

Skin corrosion/irritation Skin irritation.

Serious eye damage/irritation

Serious eye damage/irritation Moderately irritating.

Skin sensitisation

Skin sensitisation Not sensitising.

Germ cell mutagenicity

Genotoxicity - in vitro Bacterial reverse mutation test: Negative. Chromosome aberration: Negative.

Reproductive toxicity

Reproductive toxicity - fertility Fertility - Negative., Oral, Rat

Reproductive toxicity - development Maternal toxicity: - : Negative., Oral, Rat Developmental toxicity: - : Negative., Oral, Rat
Teratogenicity: - : Negative., Oral, Rat

Distillates (petroleum) solvent dewaxed heavy paraffinic

Acute toxicity - oral

Notes (oral LD₅₀) LD₅₀ >5000 mg/kg, Oral, Rat

Acute toxicity - dermal

Notes (dermal LD₅₀) LD₅₀ >5000 mg/kg, Dermal, Rabbit NOAEL, Sub-akut 1000 mg/kg, Dermal, Rabbit

Acute toxicity - inhalation

Notes (inhalation LC₅₀) LC₅₀ >5,53 mg/l, 4 hour, Vapour Rat NOAEL, Sub-kronik 0,15 mg/l, 13 week, Vapour Rat

Skin corrosion/irritation

Skin corrosion/irritation Not irritating.

Serious eye damage/irritation

Serious eye damage/irritation Not irritating.

Respiratory sensitisation

Respiratory sensitisation Not sensitising.

Germ cell mutagenicity

Genotoxicity - in vitro Bacterial reverse mutation test: Negative. Chromosome aberration, memeliler-hayvan: Negative.

Carcinogenicity

Carcinogenicity NOAEL 78 weeks., Dermal, Negative., Mouse



SUPER GRES EP 0

According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended.
Commission Regulation (EU) 2020/878 of 18 June 2020.

Reproductive toxicity

Reproductive toxicity - fertility Fertility - Negative. , Oral, Rat

Reproductive toxicity - development Maternal toxicity: - Negative.: , Oral, Rat Developmental toxicity: - Negative.: , Dermal, Rat
Teratogenicity: - : Negative., Dermal, Rat

Aspiration hazard

Aspiration hazard Aspiration Hazard

Hidrokarbonlar,C10-13,aromatikler,<1%,naftalen

Acute toxicity - oral

Notes (oral LD₅₀) LD₅₀ >5000 mg/kg, Oral, Rat NOAEL, Sub-kronik 750 mg/kg, Oral, Rat

Acute toxicity - dermal

Notes (dermal LD₅₀) LD₅₀ >2000 mg/kg, Dermal, Rabbit NOAEL, Sub-kronik 495 mg/kg, Dermal, Rat

Acute toxicity - inhalation

Notes (inhalation LC₅₀) LC50 >5,28 mg/m³, 4 hour, Vapour Rat NOAEL, Sub-kronik 1000 mg/m³, 90 day, Vapour Rat

Skin corrosion/irritation

Skin corrosion/irritation Not irritating.

Serious eye damage/irritation

Serious eye damage/irritation Not irritating.

Skin sensitisation

Skin sensitisation Not sensitising.

Germ cell mutagenicity

Genotoxicity - in vitro Bacterial reverse mutation test: Negative. In vitro Sister Chromatid Exchange Assay: Negative.

Reproductive toxicity

Reproductive toxicity - fertility Fertility - Negative., Oral, Rat

Reproductive toxicity - development Developmental toxicity: - : Negative., Oral, Rat Maternal toxicity: - : Positive., Oral, Rat

Aspiration hazard

Aspiration hazard Aspiration Hazard

N-1-naftilanilin

Acute toxicity - oral

Notes (oral LD₅₀) LD₅₀ 1625 mg/kg, Oral, Rat Potential chronic effects on health: 407 Repeated Dose 28-day Oral Toxicity Study in Rodents Sub-akut, NOAEL 5 mg/kg, Oral, Rat 408 Repeated Dose 90-Day Oral Toxicity Study in Rodents Sub-kronik, NOAEL 5 mg/kg, Oral, Rat

ATE oral (mg/kg) 500.0

Acute toxicity - dermal

Notes (dermal LD₅₀) LD₅₀ >2000 mg/kg, Dermal, Rabbit



SUPER GRES EP 0

According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended.
Commission Regulation (EU) 2020/878 of 18 June 2020.

Skin corrosion/irritation	
Skin corrosion/irritation	Not irritating.
Serious eye damage/irritation	
Serious eye damage/irritation	Not irritating.
Skin sensitisation	
Skin sensitisation	Sensitising.
Germ cell mutagenicity	
Genotoxicity - in vitro	Bacterial reverse mutation test: Negative. Chromosome aberration: Negative.
Reproductive toxicity	
Reproductive toxicity - development	Teratogenicity: - : Negative., Oral, Rat
Specific target organ toxicity - repeated exposure	
Target organs	Kidneys Blood system

Fuelsi diesel

Carcinogenicity	
Carcinogenicity	Known or suspected carcinogen for humans.

SECTION 12: Ecological information

Ecotoxicity Aquatic Chronic 3 - H412

Ecological information on ingredients.

Distillates (petroleum), hydrotreated heavy paraffinic

Ecotoxicity May be harmful to aquatic organisms. Spills form film layer on water surface and prevent oxygen transfer

12.1. Toxicity

Toxicity Aquatic Chronic 3 - H412

Acute aquatic toxicity

Summary Based on available data the classification criteria are not met.

Acute toxicity - fish

Based on available data the classification criteria are not met.

Acute toxicity - aquatic invertebrates

Based on available data the classification criteria are not met.

Acute toxicity - aquatic plants

Based on available data the classification criteria are not met.

Acute toxicity - microorganisms

Based on available data the classification criteria are not met.

Acute toxicity - terrestrial

Based on available data the classification criteria are not met.

Chronic aquatic toxicity

Summary

Based on available data the classification criteria are not met.



SUPER GRES EP 0

According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended.
Commission Regulation (EU) 2020/878 of 18 June 2020.

Chronic toxicity - fish early life stage	Based on available data the classification criteria are not met.
Short term toxicity - embryo and sac fry stages	Based on available data the classification criteria are not met.
Chronic toxicity - aquatic invertebrates	Based on available data the classification criteria are not met.
Toxicity to soil	Based on available data the classification criteria are not met.
Toxicity to terrestrial plants	Based on available data the classification criteria are not met.

Ecological information on ingredients.

Distillates (petroleum), hydrotreated heavy naphthenic

Acute aquatic toxicity

Acute toxicity - fish	LL ₅₀ , 96 hour: >100 mg/l, Fish
Acute toxicity - aquatic invertebrates	EL ₅₀ , 96 hour: >10000 mg/l, Daphnia magna NOEL, chronic, 21 day: 10 mg/l, Daphnia magna
Acute toxicity - aquatic plants	NOEL, 72 hour: >100 mg/l, Algae

Phosphorodithioic acid, mixed O,O-bis (2-ethylhexyl and iso-Bu and pentyl) esters, zinc salts

Acute aquatic toxicity

Acute toxicity - aquatic invertebrates	EL ₅₀ , 48 hour: 5,4 mg/l, Daphnia magna
Acute toxicity - aquatic plants	EL ₅₀ , 72 hour: 2,1 mg/l, Selenastrum capricornutum NOEL, 72 hour: 1 mg/l, Selenastrum capricornutum
Acute toxicity - microorganisms	EL ₅₀ , 3 hour: >10000 mg/l, Micro-organisms

Chronic aquatic toxicity

Chronic toxicity - aquatic invertebrates	NOEL, 21 day: 0,4 mg/l, Daphnia magna
---	---------------------------------------

2,6-di-tert-butylphenol

Acute aquatic toxicity

LE(C)₅₀	0.1 < L(E)C ₅₀ ≤ 1
M factor (Acute)	1
Acute toxicity - fish	LC ₅₀ , 96 hour: 1,4 mg/l, Pimephales promelas (Fat-head Minnow)
Acute toxicity - aquatic invertebrates	EC ₅₀ , 48 hour: 0,45 mg/l, Daphnia magna
Acute toxicity - aquatic plants	EC ₅₀ , 96 hour: 1,2 mg/l, Algae
Acute toxicity - microorganisms	EC ₅₀ , 3 hour: >1000 mg/l, Micro-organisms



SUPER GRES EP 0

According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended.
Commission Regulation (EU) 2020/878 of 18 June 2020.

Chronic aquatic toxicity

M factor (Chronic) 1

Chronic toxicity - aquatic invertebrates NOEC, 21 day: 0,035 mg/l, Daphnia magna
NOEC, 96 hour: 0,64 mg/l, Alg

Damıtıklar (petrol), hidrojenle muamele edilmiş ağır parafinik

Acute aquatic toxicity

Acute toxicity - fish LL₅₀, 96 hour: >100 mg/l, Pimephales promelas (Fat-head Minnow)
NOEL, chronic, 14 day: 1000 mg/l, Oncorhynchus mykiss (Rainbow trout)

Acute toxicity - aquatic invertebrates EL50, 48 hour: >10000 mg/l, Daphnia magna

Chronic aquatic toxicity

Chronic toxicity - aquatic invertebrates NOEL, 21 day: 10 mg/l, Daphnia magna
NOEL, 72 hour: >=100 mg/l, Pseudokirchneriella subcapitata

Bis(nonilfenil)amin

Acute aquatic toxicity

Acute toxicity - fish LL₅₀, 96 hour: >100 mg/l, Danio rerio (Zebrafish)

Acute toxicity - aquatic invertebrates EL50, 48 hour: >100 mg/l, Daphnia magna

Acute toxicity - aquatic plants EL50, 72 hour: >100 mg/l, Desmodesmus subspicatus

Acute toxicity - microorganisms IC₅₀, 3 hour: >100 mg/l, Micro-organisms

Chronic aquatic toxicity

Chronic toxicity - aquatic invertebrates NOEL, 72 hour: >10 mg/l, Alg

Reaction products of Dihydro-3-(tetrapropenyl) furan-2,5 dione with Propane-1,2,dio

Acute aquatic toxicity

Acute toxicity - fish LC₅₀, 96 hour: 26,3 mg/l, Oncorhynchus mykiss (Rainbow trout)

Acute toxicity - aquatic invertebrates EL50, 48 hour: 84,91 mg/l, Daphnia magna

Acute toxicity - aquatic plants EC₅₀, 72 hour: >59,6 mg/l, Pseudokirchneriella subcapitata
NOEC, 72 hour: 59,6 mg/l, Pseudokirchneriella subcapitata

Acute toxicity - microorganisms EL50, 3 hour: >1000 mg/l, Micro-organisms

Distillates (petroleum) solvent dewaxed heavy paraffinic

Acute aquatic toxicity

Acute toxicity - fish LL₅₀, 96 hour: >100 mg/l, Pimephales promelas (Fat-head Minnow)
NOEL, chronic, 14 day: 1000 mg/l, Oncorhynchus mykiss (Rainbow trout)



SUPER GRES EP 0

According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended.
Commission Regulation (EU) 2020/878 of 18 June 2020.

Acute toxicity - aquatic invertebrates	EL50, 48 hour: >10000 mg/l, Daphnia magna
Chronic aquatic toxicity	
Chronic toxicity - aquatic invertebrates	NOEL, 21 day: 10 mg/l, Daphnia magna NOEL, 72 hour: >=100 mg/l, Pseudokirchneriella subcapitata

Hidrokarbonlar,C10-13,aromatikler,<1%,naftalen

Acute aquatic toxicity	
Acute toxicity - fish	LL ₅₀ , 96 hour: 2-5 mg/l, Oncorhynchus mykiss (Rainbow trout)
Acute toxicity - aquatic invertebrates	EL50, 48 hour: 1,4 mg/l, Daphnia magna
Acute toxicity - aquatic plants	EL50, 72 hour: >1 mg/l, Pseudokirchneriella subcapitata NOEL, 72 hour: 1 mg/l, Pseudokirchneriella subcapitata
Chronic aquatic toxicity	
Chronic toxicity - aquatic invertebrates	NOEL, 21 day: 0,48 mg/l, Daphnia magna

N-1-naftilanilin

Acute aquatic toxicity	
LE(C)₅₀	0.1 < L(E)C50 ≤ 1
M factor (Acute)	1
Acute toxicity - fish	LL ₅₀ , 96 hour: 0,44 mg/l, Oncorhynchus mykiss (Rainbow trout)
Acute toxicity - aquatic invertebrates	EL50, 48 hour: 0,3 mg/l, Daphnia magna
Acute toxicity - aquatic plants	EL50, 96 hour: 0,93 mg/l, Pseudokirchneriella subcapitata
Acute toxicity - microorganisms	EL50, 3 hour: >10000 mg/l, Micro-organisms
Chronic aquatic toxicity	
M factor (Chronic)	1
Chronic toxicity - aquatic invertebrates	NOEL, 21 day: 0,032 mg/l, Daphnia magna

12.2. Persistence and degradability

Persistence and degradability	Not applicable.
Phototransformation	Based on available data the classification criteria are not met.
Stability (hydrolysis)	Based on available data the classification criteria are not met.
Biodegradation	Based on available data the classification criteria are not met.
Biological oxygen demand	Based on available data the classification criteria are not met.
Chemical oxygen demand	Based on available data the classification criteria are not met.



SUPER GRES EP 0

According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended.
Commission Regulation (EU) 2020/878 of 18 June 2020.

Ecological information on ingredients.

Distillates (petroleum), hydrotreated heavy paraffinic

Biodegradation Not expected to be readily biodegradable.

Phosphorodithioic acid, mixed O,O-bis (2-ethylhexyl and iso-Bu and pentyl) esters, zinc salts

Biodegradation OECD 301 B - 1,5 %: 28 day

2,6-di-tert-butylphenol

Biodegradation OECD TG 302 C - 12-24: % 28 day
Not readily biodegradable.

Damıtıklar (petrol), hidrojenle muamele edilmiş ağır parafinik

Biodegradation OECD 301 F - 31 %: 28 day

Bis(nonilfenil)amin

Biodegradation OECD 301 B - 1: % 28 day

Reaction products of Dihydro-3-(tetrapropenyl) furan-2,5 dione with Propane-1,2,diol

Biodegradation OECD 301 B - 0 %: 28 day

Distillates (petroleum) solvent dewaxed heavy paraffinic

Biodegradation OECD 301 F - 31 %: 28 day

Hidrokarbonlar,C10-13,aromatikler,<1%,naftalen

Biodegradation OECD 301 F - 58,6 %: 28 day

N-1-naftilanilin

Biodegradation OECD 301 C - 0: % 28 day
Not readily biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential Based on available data the classification criteria are not met.

Partition coefficient Inconclusive data.

Ecological information on ingredients.

Distillates (petroleum), hydrotreated heavy paraffinic

Bioaccumulative potential Potentially bioaccumulating.

Distillates (petroleum), hydrotreated heavy naphthenic

Bioaccumulative potential log Pow: 2-6, BCF: <500,



SUPER GRES EP 0

According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended. Commission Regulation (EU) 2020/878 of 18 June 2020.

2,6-di-tert-butylphenol

Bioaccumulative potential log Pow: 4,5,

Bis(nonilfenil)amin

Bioaccumulative potential log Pow: 3,64-7,02, BCF: 1730,

Hidrokarbonlar,C10-13,aromatikler,<1%,naftalen

Bioaccumulative potential log Pow: 2,8-6,5, BCF: 99-5780,

N-1-naftilanilin

Bioaccumulative potential log Pow: 4,28, BCF: 1424,

12.4. Mobility in soil

Mobility	The product is immiscible with water and will spread on the water surface.
Adsorption/desorption coefficient	Based on available data the classification criteria are not met.
Henry's law constant	Based on available data the classification criteria are not met.
Surface tension	Based on available data the classification criteria are not met.

Ecological information on ingredients.

Distillates (petroleum), hydrotreated heavy paraffinic

Mobility Liquid under most environmental conditions. Floats on water. If spread into ground the groundwater may be polluted.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment No other information known.

12.6 Endocrine disrupting properties

Endocrine disrupting properties This product does not have endocrine disrupting properties.

Ecological information on ingredients.

Fuelsi diesel

Results of PBT and vPvB assessment This product does not contain any substances classified as PBT or vPvB.

12.6. Other adverse effects

Other adverse effects No other information known.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

General information The generation of waste should be minimised or avoided wherever possible.



SUPER GRES EP 0

According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended.
Commission Regulation (EU) 2020/878 of 18 June 2020.

Disposal methods Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority. Waste, residues, empty containers, discarded work clothes and contaminated cleaning materials should be collected in designated containers, labelled with their contents.

Waste class The waste code classification is to be carried out according to the European Waste Catalogue (EWC).

SECTION 14: Transport information

General The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).

14.1. UN number

UN number or ID number

Not applicable.

14.2. UN proper shipping name

Not applicable.

14.3. Transport hazard class(es)

No transport warning sign required.

Transport labels

No transport warning sign required.

14.4. Packing group

Not applicable.

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

No.

14.6. Special precautions for user

Not applicable.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Maritime transport in bulk according to IMO instruments

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations T. C. Regulation on the Classification, Labeling and Packaging of Substances and Mixtures No. 28848, dated 11 December 2013, by the Ministry of Environment and Urbanization.
According to Regulation (EC) No 1907/2006, Annex II, as amended by Regulation (EU) No 453/2010

EU legislation Commission Regulation (EU) No 453/2010 of 20 May 2010.
Dangerous Preparations Directive 1999/45/EC.
Dangerous Substances Directive 67/548/EEC.



SUPER GRES EP 0

According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended.
Commission Regulation (EU) 2020/878 of 18 June 2020.

Guidance Safety Data Sheets for Substances and Preparations.
Source: European Chemicals Agency, <http://echa.europa.eu/>

15.2. Chemical safety assessment

Not applicable.

SECTION 16: Other information

Abbreviations and acronyms used in the safety data sheet

E.U. : European union
DMSO: Dimethyl sulfoxide
STEL: Short term exposure limit
T.C. : Republic of Turkey
TWA: Workplace exposure limits
UZEM: National Poison Information Center
ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.
CAS: Chemical Abstracts Service.
GHS: Globally Harmonized System.
DNEL: Derived No Effect Level.
IATA: International Air Transport Association.
ICAO: Technical Instructions for the Safe Transport of Dangerous Goods by Air.
IMDG: International Maritime Dangerous Goods.
LC₅₀: Lethal Concentration to 50 % of a test population.
LD₅₀: Lethal Dose to 50% of a test population (Median Lethal Dose).
PBT: Persistent, Bioaccumulative and Toxic substance.
PNEC: Predicted No Effect Concentration.
REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006.
RID: European Agreement concerning the International Carriage of Dangerous Goods by Rail.
vPvB: Very Persistent and Very Bioaccumulative.
IARC: International Agency for Research on Cancer.
MARPOL 73/78: International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978.
BCF: Bioconcentration Factor.
LOAEL: Lowest Observed Adverse Effect Level.
NOAEL: No Observed Adverse Effect Level.
NOEC: No Observed Effect Concentration.
DMEL: Derived Minimal Effect Level.

Classification abbreviations and acronyms

Acute Tox. = Acute toxicity
STOT RE = Specific target organ toxicity-repeated exposure
Skin Sens. = Skin sensitisation
Skin Irrit. = Skin irritation
Eye Irrit. = Eye irritation
Carc. = Carcinogenicity
Aquatic Chronic = Hazardous to the aquatic environment (chronic)
Aquatic Acute = Hazardous to the aquatic environment (acute)



SUPER GRES EP 0

According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended.
Commission Regulation (EU) 2020/878 of 18 June 2020.

General information	MSDS Distribution : The information in this document should be made available to all who may handle the product. Uses and Restrictions : This product must not be used in applications other than those recommended in Section 1, without first seeking the advice of the supplier. This product is not to be used as a solvent or cleaning agent; for lighting or brightening fires; as a skin cleanser. This document contains important information to ensure the safe storage, handling and use of this product. The information in this document should be brought to the attention of the person in your organisation responsible for advising on safety matters. Disclaimer : This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.
Key literature references and sources for data	This SDS is prepared based on the information received from raw material suppliers. Source: European Chemicals Agency, http://echa.europa.eu/
Classification procedures according to Regulation (EC) 1272/2008	Eye Irrit. 2 - H319: Calculation method., Supplier information Aquatic Chronic 3 - H412: Calculation method., Supplier information
Training advice	Untrained personnel should not use.
Revision comments	Revised classification. Adding content information.
Issued by	Ece Yigit Chemical Assessment Specialist (Certificate No: KDU01.30.08 18.02.2028)
Revision date	19/02/2024
Revision	4
Supersedes date	13/06/2011
SDS number	10261
Hazard statements in full	H302 Harmful if swallowed. H304 May be fatal if swallowed and enters airways. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H351 Suspected of causing cancer if swallowed. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. H413 May cause long lasting harmful effects to aquatic life. H373 May cause damage to organs through prolonged or repeated exposure if swallowed or if inhaled. EUH208 Contains N-1-naftilanilin. May produce an allergic reaction.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.