



SAFETY DATA SHEET MAXIMUS LA 10W-40

According to Regulation (EC) No 1907/2006, Annex II, as amended by Regulation (EU) No 453/2010

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name MAXIMUS LA 10W-40

Product number 11346

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Engine oil.

Uses advised against Use only for intended applications.

1.3. Details of the supplier of the safety data sheet

Supplier PETROL OFİSİ A.Ş.
Ünalan Mahallesi, Libadiye Caddesi No: 82F Kat: 2-3-4, 34700 Üsküdar/ İstanbul
Tel: +90 850 339 1919
Fax: +90 216 275 3854
madeniyag@petrolofisi.com.tr

Contact person Customer Services: madeniyag@petrolofisi.com.tr

1.4. Emergency telephone number

Emergency telephone Madeni Yağ Customer Services: 0850 339 1919 (working hours)

National emergency telephone number Emergency Medical Services: 112 National Poison Consultance Center: 114

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

Physical hazards Not Classified

Health hazards Not Classified

Environmental hazards Aquatic Chronic 3 - H412

Human health May cause temporary skin or eye irritation.

Environmental The product is not expected to be hazardous to the environment.

Physicochemical This product is not flammable.

2.2. Label elements

Hazard statements EUH208 Contains Benzenesulfonic acid, methyl-, mono-C20-26- branched alkyl derivs., calcium salts, Benzenesulphonicacid, methyl-mono-C20-24-branched alkyl derivatives, calcium salts. May produce an allergic reaction.
H412 Harmful to aquatic life with long lasting effects.

Precautionary statements P273 Avoid release to the environment.
P501 Dispose of contents/ container in accordance with national regulations.

MAXIMUS LA 10W-40

2.3. Other hazards

No other information known.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Distillates (petroleum), hydrotreated heavy paraffinic baseoil	60-80%
CAS number: 64742-54-7	EC number: 265-157-1
	REACH registration number: 01-2119484627-25-0065
Classification	
Asp. Tox. 1 - H304	
Yüksek düzeyde rafine edilmiş madeni yağ (C15- C50)	1-5%
CAS number: —	
Classification	
Not Classified	
Mineral Oil	1-5%
CAS number: 64742-55-8	
Classification	
Not Classified	
Reaction mass of isomers of: C7-9-alkyl 3-(3,5-ditert- butyl-4-hydroxyphenyl)propionate	1-5%
CAS number: 125643-61-0	EC number: 406-040-9
Classification	
Aquatic Chronic 4 - H413	
bis(nonylphenyl)amine	1-5%
CAS number: —	EC number: 253-249-4
Classification	
Aquatic Chronic 4 - H413	
Benzenesulfonic acid, methyl-, mono-C20-26- branched alkyl derivs., calcium salts	<1%
CAS number: 722503-69-7	
Classification	
Skin Sens. 1B - H317	

MAXIMUS LA 10W-40

Phosphorodithioic acid, mixed O,O-bis(sec-Bu and 1,3-dimethylbutyl) esters, zinc salts	<1%
CAS number: 68784-31-6 EC number: 272-238-5	
Classification Eye Dam. 1 - H318 Aquatic Chronic 2 - H411	
Benzenesulphonicacid, methyl-mono-C20-24-branched alkyl derivatives, calcium salts	<1%
CAS number: 722503-68-6	
Classification Skin Sens. 1 - H317 Aquatic Chronic 4 - H413	
Phenol, deodesil, sulphurized, carbonates, calcium salts, overbased	<1%
CAS number: 68784-26-9	
Classification Aquatic Chronic 4 - H413	
Phenol, deodesil-, branched	<1%
CAS number: 121158-58-5 EC number: 310-154-3 M factor (Acute) = 10 M factor (Chronic) = 10	
Classification Eye Irrit. 2 - H319 Repr. 1B - H360 Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410	

The full text for all hazard statements is displayed in Section 16.

Composition comments	Some substances are not classified by legislation. They are self classified by the manufacturer. The DMSO extract by IP 346 of the oil is less than 3%
Ingredient notes	If REACH registration numbers do not appear the substance is either exempt from registration, does not meet the minimum volume threshold for registration, the registration date has not yet come due or this information is proprietary.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information	Get medical attention if any discomfort continues.
Inhalation	Move affected person to fresh air at once. Rinse nose and mouth with water. Get medical attention if any discomfort continues.
Ingestion	Never give anything by mouth to an unconscious person. Do not induce vomiting. Rinse mouth thoroughly with water. Get medical attention if any discomfort continues.

MAXIMUS LA 10W-40

Skin contact	Remove affected person from source of contamination. Remove contaminated clothing. Wash skin thoroughly with soap and water. Get medical attention if any discomfort continues.
Eye contact	Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes. Continue to rinse for at least 15 minutes. Get medical attention if any discomfort continues.
Protection of first aiders	First aid personnel should wear appropriate protective equipment during any rescue.

4.2. Most important symptoms and effects, both acute and delayed

General information	See Section 11 for additional information on health hazards. Treat symptomatically.
Inhalation	No specific symptoms known.
Ingestion	No specific symptoms known.
Skin contact	May cause sensitisation or allergic reactions in sensitive individuals.
Eye contact	May cause irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor	No specific treatment. Treat symptomatically.
Specific treatments	Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	The product is not flammable. Extinguish with foam, carbon dioxide, dry powder or water fog.
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture

Specific hazards	Oxides of carbon. Oxides of nitrogen.
Hazardous combustion products	Yanma sonucu şu maddelerin oksitleri oluşabilir: Bor, Fosfor, Kalsiyum, Çinko, Nitrojen. Sulphur oxides. Carbon dioxide (CO ₂). Carbon monoxide (CO).

5.3. Advice for firefighters

Protective actions during firefighting	Avoid breathing fire gases or vapours.
Special protective equipment for firefighters	Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions	Wear protective clothing as described in Section 8 of this safety data sheet.
For non-emergency personnel	Necessary precautions should be taken to ensure that non-educated personnel do not intervene.

MAXIMUS LA 10W-40

For emergency responders Stop the leakage source if it can be done without risk. Limit spillage to prevent further contamination of soil, surface or ground water. Remove any spilled material as soon as possible by following the precautions in the section Exposure Controls / Personal Protection. Use suitable techniques such as non-flammable absorbent materials or pumping. When possible or appropriate, remove the contaminated soil from the area. Place contaminated products in disposable boxes and dispose of in accordance with regulations. If a heated material is spilled, allow it to cool before handling with disposal methods. Proper ventilation should be provided. Notification: In case of spillage, notify the local authorities as appropriate or as necessary.

6.2. Environmental precautions

Environmental precautions Do not discharge into drains or watercourses or onto the ground.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up Stop leak if possible without risk. Absorb in vermiculite, dry sand or earth and place into containers. Flush contaminated area with plenty of water. Avoid the spillage or runoff entering drains, sewers or watercourses. Collect and place in suitable waste disposal containers and seal securely. Label the containers containing waste and contaminated materials and remove from the area as soon as possible.

6.4. Reference to other sections

Reference to other sections For personal protection, see Section 8. See Section 7 for more information on safe handling. See Section 11 for additional information on health hazards. For waste disposal, see Section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions Avoid spilling. Avoid contact with skin and eyes. Provide adequate ventilation.

Advice on general occupational hygiene Persons susceptible to allergic reactions should not handle this product. Do not eat, drink or smoke when using this product. Eye wash facilities and emergency shower must be available when handling this product. Good personal hygiene procedures should be implemented.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Store in tightly-closed, original container in a dry, cool and well-ventilated place. Keep containers upright. Keep away from food, drink and animal feeding stuffs. Keep out of the reach of children.

Storage class Chemical storage.

7.3. Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

Usage description The product must be used as specified in the data sheet. Good ventilation should be provided in the working environment and the vapor generated during use should be avoided. Avoid contact with skin and apply hygienic rules. Avoid contact with eyes. Goggles or face to prevent eye contact mask should be used. Use disposable clothing. Dispose of contaminated clothing without packaging. It should not be siphoned by mouth.

SECTION 8: Exposure controls/Personal protection

8.1. Control parameters

Occupational exposure limits

Distillates (petroleum), hydrotreated heavy paraffinic baseoil

MAXIMUS LA 10W-40

There is no available data.

Yüksek düzeyde rafine edilmiş madeni yağ (C15- C50)

Mineral Oil; TWA: 5 mg/m³ , ACGIH (United States)

Mineral oil: ACGIH, STEL:10 mg/m³

Mineral Oil

Mineral oil - Inhalable fraction:TWA:5 mg/m³,US. ACGIH Threshold Limit Values (03 2014)

Ingredient comments	No other information known.
Biological limit values	No other information known.
DNEL	No other information known.
DMEL	No other information known.
PNEC	No other information known.

Distillates (petroleum), hydrotreated heavy paraffinic baseoil (CAS: 64742-54-7)

Ingredient comments	There is no available data.
Biological limit values	There is no available data.
DNEL	Workers - Inhalation; Long term systemic effects: 2,7 (8h) mg/m ³ Workers - Inhalation; Long term local effects: 5,4 (8h) mg/m ³ Consumer - Inhalation; Long term local effects: 1,2 (24h) mg/m ³ Consumer - Oral; Long term systemic effects: 0,74 (24h) mg/kg/day Workers - Dermal; Long term systemic effects: 1,0 (8h) mg/kg
DMEL	No information available.
PNEC	No information available.

bis(nonylphenyl)amine

DNEL	Workers - Dermal; Long term systemic effects: 0,62 mg/kg Workers - Inhalation; Long term systemic effects: 4,37 mg/m ³ Consumer - Dermal; Long term systemic effects: 0,31 mg/kg Consumer - Inhalation; Long term systemic effects: 1,09 mg/m ³ Consumer - Oral; Long term systemic effects: 0,31 mg/kg
PNEC	Fresh water; 0,1 mg/l marine water; 0,01 mg/l Intermittent release; 1 mg/l STP; 1 mg/l Sediment (Freshwater); 132000 mg/kg Sediment (Marinewater); 13200 mg/kg Soil; 263000 mg/kg

8.2. Exposure controls

Protective equipment



Appropriate engineering controls

Provide adequate ventilation.

MAXIMUS LA 10W-40

Personal protection	Keep away from foodstuffs, beverages and foods. Instantly remove any soiled and impregnated garments. Wash hands during breaks and at the end of the work. Store protective clothing separately. The effectiveness of personal protective equipment, together with other elements, depends on the degree of ventilation. Depending on the particular situation in question, Get professional support. Personal protective equipment (PPE) should meet recommended national standards. Check with PPE suppliers.
Eye/face protection	Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. The following protection should be worn: Chemical splash goggles or face shield.
Hand protection	Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible. Wear protective gloves made of the following material: Polyvinyl chloride (PVC). Nitrile rubber. Butyl rubber.
Other skin and body protection	Wear appropriate clothing to prevent any possibility of skin contact. Wear rubber footwear. Wear apron or protective clothing in case of contact.
Hygiene measures	Do not smoke in work area. Wash at the end of each work shift and before eating, smoking and using the toilet. Promptly remove any clothing that becomes contaminated. Use appropriate skin cream to prevent drying of skin. Wash contaminated clothing before reuse. When using do not eat, drink or smoke.
Respiratory protection	No specific recommendations. Respiratory protection may be required if excessive airborne contamination occurs.
Thermal hazards	If there is a risk of contact with hot product, all protective equipment worn should be suitable for use with high temperatures.
Environmental exposure controls	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. Store in a demarcated bunded area to prevent release to drains and/or watercourses.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	Liquid.
Colour	Yellow.
Odour	Characteristic.
Odour threshold	No specific test data are available.
pH	Scientifically unjustified.
Melting point	No specific test data are available.
Initial boiling point and range	No specific test data are available.
Flash point	~ 230°C OC (Open cup).
Evaporation rate	No specific test data are available.
Evaporation factor	No specific test data are available.
Flammability (solid, gas)	No specific test data are available.
Upper/lower flammability or explosive limits	No specific test data are available.
Other flammability	No specific test data are available.

MAXIMUS LA 10W-40

Vapour pressure	No specific test data are available.
Vapour density	No specific test data are available.
Relative density	Inconclusive data.
Bulk density	~ 0,85 @ 15C g/ml
Solubility(ies)	Insoluble in water.
Partition coefficient	No specific test data are available.
Auto-ignition temperature	No specific test data are available.
Decomposition Temperature	No specific test data are available.
Viscosity	14.4 cSt @ 100°C
Explosive properties	No specific test data are available.
Explosive under the influence of a flame	No other information known.
Oxidising properties	No specific test data are available.
Comments	No specific test data are available.

9.2. Other information

Other information	No information required.
Refractive index	No specific test data are available.
Particle size	No specific test data are available.
Molecular weight	No specific test data are available.
Volatility	No specific test data are available.
Saturation concentration	No specific test data are available.
Critical temperature	No specific test data are available.
Volatile organic compound	No specific test data are available.

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity	There are no known reactivity hazards associated with this product.
-------------------	---

10.2. Chemical stability

Stability	Stable at normal ambient temperatures and when used as recommended.
------------------	---

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions	No hazardous reaction under normal conditions of storage and use.
---	---

10.4. Conditions to avoid

Conditions to avoid	Avoid contact with the following materials: Acids. Oxidising agents.
----------------------------	--

10.5. Incompatible materials

Materials to avoid	Strong alkalis. Strong acids.
---------------------------	-------------------------------

10.6. Hazardous decomposition products

MAXIMUS LA 10W-40

Hazardous decomposition products Fire creates: Carbon monoxide (CO). Carbon dioxide (CO₂). Alkyl mercaptans. Hydrogen sulphide (H₂S). Bozunma sıcaklığına ısıtıldığında CO_x duman ve tahriş edici buharlarını salabilir. Thermal decomposition or combustion may generate smoke, carbon monoxide, carbon dioxide, irritating vapors and other products of incomplete combustion.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicological effects	Based on available data the classification criteria are not met.
Other health effects	Based on available data the classification criteria are not met.
<u>Acute toxicity - oral</u>	
Summary	Based on available data the classification criteria are not met.
Notes (oral LD₅₀)	Based on available data the classification criteria are not met.
<u>Acute toxicity - dermal</u>	
Summary	Based on available data the classification criteria are not met.
Notes (dermal LD₅₀)	Based on available data the classification criteria are not met.
<u>Acute toxicity - inhalation</u>	
Summary	Based on available data the classification criteria are not met.
Notes (inhalation LC₅₀)	Based on available data the classification criteria are not met.
<u>Skin corrosion/irritation</u>	
Summary	Based on available data the classification criteria are not met.
Skin corrosion/irritation	Based on available data the classification criteria are not met.
Animal data	Based on available data the classification criteria are not met.
Human skin model test	Based on available data the classification criteria are not met.
Extreme pH	Based on available data the classification criteria are not met.
<u>Serious eye damage/irritation</u>	
Summary	Based on available data the classification criteria are not met.
Serious eye damage/irritation	Based on available data the classification criteria are not met.
<u>Respiratory sensitisation</u>	
Summary	Based on available data the classification criteria are not met.
Respiratory sensitisation	Based on available data the classification criteria are not met.
<u>Skin sensitisation</u>	
Summary	Based on available data the classification criteria are not met.
Skin sensitisation	May cause sensitisation or allergic reactions in sensitive individuals.
<u>Germ cell mutagenicity</u>	
Summary	Based on available data the classification criteria are not met.
Genotoxicity - in vitro	Based on available data the classification criteria are not met.
Genotoxicity - in vivo	Based on available data the classification criteria are not met.
<u>Carcinogenicity</u>	
Summary	Based on available data the classification criteria are not met.

MAXIMUS LA 10W-40

Carcinogenicity	Based on available data the classification criteria are not met.
Target organ for carcinogenicity	No specific target organs known.
IARC carcinogenicity	Not known.
NTP carcinogenicity	Based on available data the classification criteria are not met.
<u>Reproductive toxicity</u>	
Summary	Based on available data the classification criteria are not met.
Reproductive toxicity - fertility	Based on available data the classification criteria are not met.
Reproductive toxicity - development	Based on available data the classification criteria are not met.
<u>Specific target organ toxicity - single exposure</u>	
Summary	Based on available data the classification criteria are not met.
STOT - single exposure	Based on available data the classification criteria are not met.
Target organs	No specific target organs known.
<u>Specific target organ toxicity - repeated exposure</u>	
Summary	Based on available data the classification criteria are not met.
STOT - repeated exposure	Based on available data the classification criteria are not met.
Target organs	No specific target organs known.
<u>Aspiration hazard</u>	
Summary	Based on available data the classification criteria are not met.
Aspiration hazard	Based on available data the classification criteria are not met.
<u>Toxicokinetics</u>	
General information	Based on available data the classification criteria are not met.
Inhalation	Gas or vapour in high concentrations may irritate the respiratory system. Symptoms following overexposure may include the following: Coughing.
Ingestion	May cause discomfort if swallowed. Gastrointestinal symptoms, including upset stomach.
Skin contact	Skin irritation should not occur when used as recommended. Liquid may irritate skin.
Eye contact	May cause temporary eye irritation.
Acute and chronic health hazards	No other information known.
Route of exposure	No other information known.
Target organs	No specific target organs known.
Medical symptoms	No other information known.
Medical considerations	No other information known.

Toxicological information on ingredients.

Distillates (petroleum), hydrotreated heavy paraffinic baseoil

MAXIMUS LA 10W-40

Toxicological effects	Information given is based on data of the components and of similar products.
Other health effects	No information required.
<u>Acute toxicity - oral</u>	
Summary	Based on available data the classification criteria are not met.
Notes (oral LD₅₀)	LD ₅₀ >5000 (OECD 401)/API 1982a mg/kg, Oral, Rat
<u>Acute toxicity - dermal</u>	
Summary	Based on available data the classification criteria are not met.
Notes (dermal LD₅₀)	LD ₅₀ >5000 (OECD 402)/API 1982a mg/kg, Dermal, Rabbit
<u>Acute toxicity - inhalation</u>	
Summary	Based on available data the classification criteria are not met.
Notes (inhalation LC₅₀)	LC ₅₀ , 4h 5,53 (OECD 403)/Exxon Biomedical Sciences, Inc.(1988a) mg/l, Inhalation, Rat
<u>Skin corrosion/irritation</u>	
Summary	Based on available data the classification criteria are not met.
Skin corrosion/irritation	Based on available data the classification criteria are not met.
Animal data	Based on available data the classification criteria are not met.
Human skin model test	Based on available data the classification criteria are not met.
Extreme pH	Based on available data the classification criteria are not met.
<u>Serious eye damage/irritation</u>	
Summary	Based on available data the classification criteria are not met.
Serious eye damage/irritation	Based on available data the classification criteria are not met.
<u>Respiratory sensitisation</u>	
Summary	Based on available data the classification criteria are not met.
Respiratory sensitisation	Based on available data the classification criteria are not met.
<u>Skin sensitisation</u>	
Summary	Based on available data the classification criteria are not met.
Skin sensitisation	Based on available data the classification criteria are not met.
<u>Germ cell mutagenicity</u>	
Summary	Based on available data the classification criteria are not met.
Genotoxicity - in vitro	Based on available data the classification criteria are not met.
Genotoxicity - in vivo	Based on available data the classification criteria are not met.
<u>Carcinogenicity</u>	
Summary	Based on available data the classification criteria are not met.
Carcinogenicity	Based on available data the classification criteria are not met.

MAXIMUS LA 10W-40

Target organ for carcinogenicity	No specific target organs known.
IARC carcinogenicity	Not listed.
NTP carcinogenicity	Not listed.
<u>Reproductive toxicity</u>	
Summary	Based on available data the classification criteria are not met.
Reproductive toxicity - fertility	Based on available data the classification criteria are not met.
Reproductive toxicity - development	Based on available data the classification criteria are not met.
<u>Specific target organ toxicity - single exposure</u>	
Summary	Based on available data the classification criteria are not met.
STOT - single exposure	Based on available data the classification criteria are not met.
Target organs	No specific target organs known.
<u>Specific target organ toxicity - repeated exposure</u>	
Summary	Based on available data the classification criteria are not met.
STOT - repeated exposure	Based on available data the classification criteria are not met.
Target organs	No specific target organs known.
<u>Aspiration hazard</u>	
Summary	Slight irritation of the respiratory tract may occur, if mists are inhaled.
Aspiration hazard	May be fatal if swallowed and enters airways.
.	
Toxicokinetics	No information required.
General information	No information required.
Inhalation	No information required.
Ingestion	No information required.
Skin contact	No information required.
Eye contact	No information required.
Acute and chronic health hazards	No information required.
Route of exposure	No information required.
Target organs	No specific target organs known.
Medical symptoms	No information required.
Medical considerations	No information required.

Mineral Oil

Carcinogenicity

MAXIMUS LA 10W-40

Summary The base oils in the product content contain less than 3% DMSO according to IP 346.

Specific target organ toxicity - single exposure

STOT - single exposure If material is misted or if vapors are generated from heating, exposure may cause irritation of mucous membranes and the upper respiratory tract. (Supplier information)

Aspiration hazard

Aspiration hazard Material can be aspirated into the lungs during the act of swallowing or vomiting. This could result in severe injury to the lungs and death. (Supplier information)

bis(nonylphenyl)amine

Acute toxicity - oral

Notes (oral LD₅₀) LD₅₀ >5000 mg/kg, Oral, Rat

Acute toxicity - dermal

Notes (dermal LD₅₀) LD₅₀ >2000 mg/kg, Dermal, Rat

Skin corrosion/irritation

Skin corrosion/irritation Not irritating.

Serious eye damage/irritation

Serious eye damage/irritation Not irritating.

Respiratory sensitisation

Respiratory sensitisation Not sensitising.

Germ cell mutagenicity

Genotoxicity - in vitro Negative.

Genotoxicity - in vivo Negative.

SECTION 12: Ecological information

Ecotoxicity Harmful to aquatic life with long lasting effects.

Ecological information on ingredients.

Distillates (petroleum), hydrotreated heavy paraffinic baseoil

Ecotoxicity Based on available data the classification criteria are not met.

12.1. Toxicity

Toxicity May cause long lasting harmful effects to aquatic life.

Acute aquatic toxicity

Summary No other information known.

Acute toxicity - fish No other information known.

Acute toxicity - aquatic invertebrates No other information known.

Acute toxicity - aquatic plants No other information known.

MAXIMUS LA 10W-40

Acute toxicity - microorganisms No other information known.

Acute toxicity - terrestrial No other information known.

Chronic aquatic toxicity

Summary No other information known.

Chronic toxicity - fish early life stage No other information known.

Short term toxicity - embryo and sac fry stages No other information known.

Chronic toxicity - aquatic invertebrates No other information known.

Toxicity to soil No other information known.

Toxicity to terrestrial plants No other information known.

Ecological information on ingredients.

Distillates (petroleum), hydrotreated heavy paraffinic baseoil

Toxicity Based on available data the classification criteria are not met.

Acute aquatic toxicity

Summary Based on available data the classification criteria are not met.

Acute toxicity - fish LL₅₀, : >100 mg/l, Fish
LL₅₀, 96 (OECD 203) hours: >100 mg/l, Pimephales promelas (Fat-head Minnow)

Acute toxicity - aquatic invertebrates LL₅₀, 24 (OECD 202) hours: >10000 mg/l, Gammarus pulex
EL50, 24 (OECD 202) hours: >10000 mg/l, Daphnia magna

Acute toxicity - aquatic plants No information required.

Acute toxicity - microorganisms LL₅₀, : >100 mg/l, Micro-organisms

Acute toxicity - terrestrial No information required.

Chronic aquatic toxicity

Summary Based on available data the classification criteria are not met.

Chronic toxicity - fish early life stage No information required.

Short term toxicity - embryo and sac fry stages No information required.

Chronic toxicity - aquatic invertebrates No information required.

Toxicity to soil No information required.

Toxicity to terrestrial plants No information required.

bis(nonylphenyl)amine

Acute aquatic toxicity

MAXIMUS LA 10W-40

Acute toxicity - fish	LC ₅₀ , 96 hour: >100 mg/l, Danio rerio (Zebrafish)
Acute toxicity - aquatic invertebrates	EC ₅₀ , 48 hour: >100 mg/l, Daphnia magna
Acute toxicity - aquatic plants	EC ₅₀ , 72 hour: >100 mg/l, Desmodium subspicatus

Phenol, deodesil-, branched**Acute aquatic toxicity**LE(C)₅₀ 0.01 < L(E)C₅₀ ≤ 0.1

M factor (Acute) 10

Chronic aquatic toxicity

M factor (Chronic) 10

12.2. Persistence and degradability**Persistence and degradability** No other information known.**Phototransformation** No other information known.**Stability (hydrolysis)** No other information known.**Biodegradation** No other information known.**Biological oxygen demand** No other information known.**Chemical oxygen demand** No other information known.**Ecological information on ingredients.****Distillates (petroleum), hydrotreated heavy paraffinic baseoil****Persistence and degradability** OECD 301B:2-4 %,28 d ;OECD 301F:31 %,28 d**Phototransformation** Inconclusive data.**Stability (hydrolysis)** Inconclusive data.**Biodegradation** Inconclusive data.**Biological oxygen demand** Inconclusive data.**Chemical oxygen demand** Inconclusive data.**bis(nonylphenyl)amine****Biodegradation** - 1 %: 28 day**12.3. Bioaccumulative potential****Bioaccumulative potential** No other information known.**Partition coefficient** No specific test data are available.**Ecological information on ingredients.****Distillates (petroleum), hydrotreated heavy paraffinic baseoil****Bioaccumulative potential** Inconclusive data.

MAXIMUS LA 10W-40

Partition coefficient Inconclusive data.

bis(nonylphenyl)amine

Bioaccumulative potential log Pow: >7,6,

12.4. Mobility in soil

Mobility The product is immiscible with water and will spread on the water surface.

Adsorption/desorption coefficient No other information known.

Henry's law constant No other information known.

Surface tension No other information known.

Ecological information on ingredients.

Distillates (petroleum), hydrotreated heavy paraffinic baseoil

Mobility No data available.

Adsorption/desorption coefficient Inconclusive data.

Henry's law constant Inconclusive data.

Surface tension Inconclusive data.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment No other information known.

Ecological information on ingredients.

Distillates (petroleum), hydrotreated heavy paraffinic baseoil

Results of PBT and vPvB assessment Not relevant.

12.6. Other adverse effects

Other adverse effects No other information known.

Ecological information on ingredients.

Distillates (petroleum), hydrotreated heavy paraffinic baseoil

Other adverse effects This product contains components that have a harmful effect on the aquatic environment. Do not allow to enter into soil, rivers or sewers.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

General information The packaging must be empty (drop-free when inverted). Do not puncture or incinerate, even when empty.

Disposal methods Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority. Environmental Manager must be informed of all major spillages. Avoid the spillage or runoff entering drains, sewers or watercourses. Do not re-use empty packages. please recycle empty packages.

MAXIMUS LA 10W-40

Waste class The waste code classification is to be carried out according to the European Waste Catalogue (EWC).

SECTION 14: Transport information

General The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).

14.1. UN number

Not applicable.

14.2. UN proper shipping name

Not applicable.

14.3. Transport hazard class(es)

No transport warning sign required.

Transport labels

No transport warning sign required.

14.4. Packing group

Not applicable.

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

No.

14.6. Special precautions for user

Not applicable.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not applicable.

**Annex II of MARPOL 73/78
and the IBC Code**

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

T. C. Ministry of Environment and Urbanization Regulation on Safety Data Sheets on Hazardous Substances and Mixtures

T. C. Regulation on the Classification, Labeling and Packaging of Substances and Mixtures No. 28848, dated 11 December 2013, by the Ministry of Environment and Urbanization.

EU legislation

Commission Regulation (EU) No 453/2010 of 20 May 2010.

Guidance

Safety Data Sheets for Substances and Preparations.

Source: European Chemicals Agency, <http://echa.europa.eu/>

15.2. Chemical safety assessment

SECTION 16: Other information

MAXIMUS LA 10W-40

Abbreviations and acronyms used in the safety data sheet	<p>E.U. : European union DMSO: Dimethyl sulfoxide KKE: Personal protective equipment T.C. : Republic of Turkey TWA: Workplace exposure limits UZEM: National Poison Information Center DNEL: Derived No Effect Level. CAS: Chemical Abstracts Service. ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road. GHS: Globally Harmonized System. IATA: International Air Transport Association. LC₅₀: Lethal Concentration to 50 % of a test population. LD₅₀: Lethal Dose to 50% of a test population (Median Lethal Dose). PBT: Persistent, Bioaccumulative and Toxic substance. REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006. PNEC: Predicted No Effect Concentration. vPvB: Very Persistent and Very Bioaccumulative. MARPOL 73/78: International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978.</p>
Classification abbreviations and acronyms	<p>Acute Tox. = Acute toxicity Asp. Tox. = Aspiration hazard STOT SE = Specific target organ toxicity-single exposure STOT RE = Specific target organ toxicity-repeated exposure Skin Corr. = Skin corrosion Skin Sens. = Skin sensitisation Skin Irrit. = Skin irritation Eye Dam. = Serious eye damage Eye Irrit. = Eye irritation Carc. = Carcinogenicity Aquatic Acute = Hazardous to the aquatic environment (acute) Aquatic Chronic = Hazardous to the aquatic environment (chronic)</p>
General information	<p>Only trained personnel should use this material. This document contains important information to ensure the safe storage, handling and use of this product. The information in this document should be brought to the attention of the person in your organisation responsible for advising on safety matters. MSDS Distribution : The information in this document should be made available to all who may handle the product. Uses and Restrictions : This product must not be used in applications other than those recommended in Section 1, without first seeking the advice of the supplier. This product is not to be used as a solvent or cleaning agent; for lighting or brightening fires; as a skin cleanser. Disclaimer : This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.</p>
Key literature references and sources for data	<p>This SDS is prepared based on the information received from suppliers.</p>
Classification procedures according to Regulation (EC) 1272/2008	<p>Aquatic Chronic 3 - H412, EUH208: Calculation method., Supplier information</p>
Training advice	<p>Untrained personnel should not use.</p>
Revision comments	<p>Revised classification.</p>

MAXIMUS LA 10W-40

Issued by	Sevda ŞAHAN Certified Safety Data Sheet Preparer (Certificate Id:GBF01.23.08;Dates: 03.11.2018-03.11.2021)
Revision date	27/01/2021
Revision	2
Supersedes date	14/07/2020
SDS number	10071
Hazard statements in full	H304 May be fatal if swallowed and enters airways. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H360 May damage fertility or the unborn child if swallowed. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. H413 May cause long lasting harmful effects to aquatic life. EUH208 Contains Benzenesulfonic acid, methyl-, mono-C20-26- branched alkyl derivs., calcium salts, Benzenesulphonicacid, methyl-mono-C20-24-branched alkyl derivatives, calcium salts. May produce an allergic reaction.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.