

SAFETY DATA SHEET TURBIN YAGI 46

According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended. Commission Regulation (EU) 2020/878 of 18 June 2020.

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name TURBIN YAGI 46

Product number 21821

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Industrial oil

Uses advised against

This product must not be used outside of the practices recommended in Section 1 without prior advice

from the supplier.

1.3. Details of the supplier of the safety data sheet

Supplier PETROL OFISI A.Ş.

Ünalan Mahallesi, Libadiye Caddesi No: 82F Kat: 2-3-4, 34700 Üsküdar/ Istanbul

Tel: +90 850 339 1919 Fax: +90 216 275 3854 madeniyag@petrolofisi.com.tr

Contact person Customer Services: madeniyag@petrolofisi.com.tr

1.4. Emergency telephone number

Emergency telephone Madeni Yağ Customer Services: 0850 339 1919 (working hours)

National emergency telephone

number

Emergency Medical Services: 112 National Poison Consultance Center: 114

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

Physical hazards Not Classified

Health hazards Not Classified

Environmental hazards Not Classified

Environmental The product is not expected to be hazardous to the environment.

2.2. Label elements

Hazard statements NC Not Classified

Precautionary statements P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.

P270 Do not eat, drink or smoke when using this product. P264 Wash contaminated skin thoroughly after handling.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

P401 Store in accordance with national regulations.

P501 Dispose of contents/ container in accordance with national regulations.

2.3. Other hazards

As supplied, the material does not present a health hazard.



TURBIN YAGI 46

According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended. Commission Regulation (EU) 2020/878 of 18 June 2020.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Distillates (petroleum), hydrotreated heavy paraffinic

CAS number: 64742-54-7 EC number: 265-157-1 REACH registration number: 01-

2119484627-25-0033

95-100%

Classification
Not Classified

The full text for all hazard statements is displayed in Section 16.

Composition comments Some substances are not classified by legistlation. They are self classified by the manufacturer. The

DMSO extract by IP 346 of the oil is less than 3%

Ingredient notes See Section 8 for occupational exposure limits.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information Get medical attention if any discomfort continues.

Inhalation Move affected person to fresh air at once. Rinse nose and mouth with water. Get medical attention if any

discomfort continues.

Ingestion Never give anything by mouth to an unconscious person. Do not induce vomiting. Rinse mouth thoroughly

with water. Get medical attention if any discomfort continues.

Skin contact Remove affected person from source of contamination. Remove contaminated clothing. Wash skin

thoroughly with soap and water. Get medical attention if any discomfort continues.

Eye contact Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes.

Continue to rinse for at least 15 minutes. Get medical attention if any discomfort continues.

Protection of first aiders First aid personnel should wear appropriate protective equipment during any rescue.

4.2. Most important symptoms and effects, both acute and delayed

General information Treat symptomatically.

InhalationNo specific symptoms known.IngestionNo specific symptoms known.Skin contactNo specific symptoms known.Eye contactNo specific symptoms known.

4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor Treat symptomatically.

Specific treatments Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire.

Unsuitable extinguishing media Do not use water jet as an extinguisher, as this will spread the fire.



TURBIN YAGI 46

According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended. Commission Regulation (EU) 2020/878 of 18 June 2020.

5.2. Special hazards arising from the substance or mixture

Specific hazards Not known.

Hazardous combustion products A complex mixture of airborne solids, liquids and gases can be released. Carbon monoxide (CO). Oxides

of sulphur. Unidentified organic or inorganic compounds. Oxides of carbon. Carbon dioxide (CO2).

5.3. Advice for firefighters

Protective actions during

firefighting

Avoid breathing fire gases or vapours.

Special protective equipment for

firefighters

Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Wear protective clothing as described in Section 8 of this safety data sheet.

For non-emergency personnel

Necessary precautions should be taken to ensure that non-educated personnel do not intervene.

For emergency responders

Notification: In case of spillage, notify the local authorities as appropriate or as necessary. Stop the leakage source if it can be done without risk.Limit spillage to prevent further contamination of soil, surface or ground water.Remove any spilled material as soon as possible by following the precautions in the section Exposure Controls / Personal Protection.Use suitable techniques such as non-flammable absorbent materials or pumping.When possible or appropriate, remove the contaminated soil from the area.Place contaminated products in disposable boxes and dispose of in accordance with regulations.If a heated material is spilled, allow it to cool before handling with disposal methods.

6.2. Environmental precautions

Environmental precautions Do not discharge into drains or watercourses or onto the ground.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up Stop leak if possible without risk. Absorb in vermiculite, dry sand or earth and place into containers. Flush

contaminated area with plenty of water. Avoid the spillage or runoff entering drains, sewers or

watercourses.

6.4. Reference to other sections

Reference to other sections For waste disposal, see Section 13. See Section 1 for emergency contact information. See Section 11 for

additional information on health hazards. See Section 12 for additional information on ecological hazards.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions Avoid spilling. Avoid contact with skin and eyes.

Advice on general occupational

hygiene

Do not eat, drink or smoke when using this product. Eye wash facilities and emergency shower must be available when handling this product. Good personal hygiene procedures should be implemented.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Store in tightly-closed, original container in a dry, cool and well-ventilated place.

Storage class Chemical storage.

7.3. Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.



According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended. Commission Regulation (EU) 2020/878 of 18 June 2020.

Usage description The product must be used as specified in the data sheet.

SECTION 8: Exposure controls/Personal protection

8.1. Control parameters

Occupational exposure limits

There is no available data.

Distillates (petroleum), hydrotreated heavy paraffinic

Oil mist: TWA: 5 mg/m3 (ACGIH).In no case should this limit be exceeded or the local limit, if it is more restrictive.

Ingredient comments Oil Mist TWA: 5 mg /m3 (ACGIH). Distillates (petroleum) hydrotreated heavy parafinic: EU OEL (Eu.)

TWA: 5 mg/m3 (8 h.)

Biological limit values

There is no available data.

DNEL

There is no available data.

DMEL

There is no available data.

PNEC

There is no available data.

8.2. Exposure controls

Protective equipment







Appropriate engineering controls Provide adequate ventilation. Avoid inhalation of vapours. Observe any occupational exposure limits for

the product or ingredients.

Personal protection Personal protective equipment (PPE) should meet recommended national standards. Check with PPE

suppliers.

Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact

is possible. The following protection should be worn: Chemical splash goggles or face shield.

Hand protection Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk

assessment indicates skin contact is possible.

Other skin and body protection Wear appropriate clothing to prevent any possibility of skin contact.

Hygiene measures Do not smoke in work area. Wash at the end of each work shift and before eating, smoking and using the

toilet. Wash promptly if skin becomes contaminated. Promptly remove any clothing that becomes contaminated. Use appropriate skin cream to prevent drying of skin. When using do not eat, drink or

smoke.

Respiratory protection No specific recommendations. Respiratory protection may be required if excessive airborne contamination

occurs.

Thermal hazards If there is a risk of contact with hot product, all protective equipment worn should be suitable for use with

high temperatures.

Environmental exposure controls Store in a demarcated bunded area to prevent release to drains and/or watercourses.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties



According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended. Commission Regulation (EU) 2020/878 of 18 June 2020.

Appearance Liquid. Colour Yellow.

Odour Characteristic.

Odour threshold No specific test data are available.

pН Scientifically unjustified.

Melting point No information available.

Initial boiling point and range No information available.

Flash point min. 200°C OC (Open cup).

Evaporation rate No information available.

Evaporation factor No information available.

Flammability (solid, gas) No information available.

Upper/lower flammability or

explosive limits

No specific test data are available.

No specific test data are available. Other flammability

Vapour pressure No information available. Vapour density No information available.

Relative density No specific test data are available.

~ 0,887 @15°C g/ml **Bulk density**

Solubility(ies) Insoluble in water.

Partition coefficient No specific test data are available. Auto-ignition temperature No specific test data are available. **Decomposition Temperature** No specific test data are available.

Viscosity 41,4-50,6 cSt @ 40°C

Explosive properties Not considered to be explosive.

Explosive under the influence of a No suitable data is available.

flame

Oxidising properties The mixture itself has not been tested but none of the ingredient substances meet the criteria for

classification as oxidising.

Comments Information declared as "Not available" or "Not applicable" is not considered to be relevant to the

implementation of the proper control measures.

Particle characteristic Not applicable.

9.2. Other information

Other information No information required. Refractive index No information available Particle size No information available.



According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended. Commission Regulation (EU) 2020/878 of 18 June 2020.

Molecular weightNo information available.VolatilityNo information available.Saturation concentrationNo information available.Critical temperatureNo information available.Volatile organic compoundNo information available.

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity There are no known reactivity hazards associated with this product.

10.2. Chemical stability

Stability Stable at normal ambient temperatures.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions Under normal conditions of storage and use, no hazardous reactions will occur.

10.4. Conditions to avoid

Conditions to avoid Avoid excessive heat for prolonged periods of time. Avoid contact with the following materials: Oxidising

agents. Reducing agents.

10.5. Incompatible materials

Materials to avoid Strong oxidising agents.

10.6. Hazardous decomposition products

Hazardous decomposition

Fire creates: Carbon monoxide (CO). Carbon dioxide (CO2). Methacrylates. Oil vapors in case of

products overheating.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Information on hazard classes as defined in Regulation (EC) No

1272/2008

Other health effects No relevant information available.

Toxicological effects Information given is based on product data, a knowledge of the components and the toxicology of similar

Based on available data the classification criteria are not met.

products.

Acute toxicity - oral

Notes (oral LD₅₀)

Summary Based on available data, the classification criteria are not met.

Acute toxicity - dermal

Summary Based on the available data, the classification criteria are not met.

Notes (dermal LD₅₀) Based on available data the classification criteria are not met.

Acute toxicity - inhalation

Summary Basen on the available data, the classification criteria are not met.



According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended. Commission Regulation (EU) 2020/878 of 18 June 2020.

Notes (inhalation LC₅₀) Based on available data the classification criteria are not met.

Skin corrosion/irritation

Summary Basen on the available data, the classification criteria are not met.

Skin corrosion/irritation Based on available data the classification criteria are not met.

Animal data Inconclusive data.

Human skin model test Inconclusive data.

Extreme pH Inconclusive data.

Serious eye damage/irritation

Summary

Based on available data, the classification criteria are not met.

Serious eye damage/irritation

Based on available data the classification criteria are not met.

Respiratory sensitisation

Summary Based on available data, the classification criteria are not met. Mist may cause slight irritation if inhaled.

Respiratory sensitisation Inconclusive data.

Skin sensitisation

Summary Does not meet the classification criteria.

Skin sensitisation Inconclusive data.

Germ cell mutagenicity

Summary It is not expected to cause genetic damage in the light of current data.

Genotoxicity - in vitro Inconclusive data.

Genotoxicity - in vivo Inconclusive data.

Carcinogenicity

Summary The base oils in the product content contain less than 3% DMSO according to IP 346.

Carcinogenicity Based on available data the classification criteria are not met.

Target organ for carcinogenicity No specific target organs known.

Reproductive toxicity

SummaryThere is no test data indicating that this product has a toxic effect on the reproductive system.

Reproductive toxicity - fertility Inconclusive data.

Reproductive toxicity -

No information is required.

development

Specific target organ toxicity - single exposure

Summary There is no available data.

STOT - single exposure Inconclusive data.

Target organs No specific target organs known.

Specific target organ toxicity - repeated exposure

Summary There is no available data.

STOT - repeated exposure Inconclusive data.



According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended. Commission Regulation (EU) 2020/878 of 18 June 2020.

Target organs No specific target organs known.

Aspiration hazard

Summary Slight irritation of the respiratory tract may occur, if mists are inhaled.

Aspiration hazard Based on available data, the classification criteria are not met.

Toxicokinetics No information is required.

General information Information given is based on data of the components and of similar products.

Inhalation Gas or vapour in high concentrations may irritate the respiratory system. Symptoms following

overexposure may include the following: Coughing.

Ingestion May cause discomfort if swallowed.

Skin contact Liquid may irritate skin.

Eye contact Vapour or spray in the eyes may cause irritation and smarting.

Acute and chronic health hazards There is not enough data.

Route of exposure There is no available data.

Target organs

No specific target organs known.

Medical symptoms

No specific tes data are available.

Medical considerations

No specific tes data are available.

11.2 Information on other hazards

Information on other hazards This substance does not have endocrine disrupting properties.

Toxicological information on ingredients.

Distillates (petroleum), hydrotreated heavy paraffinic

Acute toxicity - oral

Notes (oral LD₅₀) LD₅₀ >2000 mg/kg, Oral,

Acute toxicity - dermal

Notes (dermal LD₅₀) LD₅₀ >2000 mg/kg, Dermal,

Carcinogenicity

Summary The base oils in the product content contain less than 3% DMSO according to IP 346.

2,6-di-tersiyer-bütilfenol

Acute toxicity - oral

Notes (oral LD₅₀) LD₅₀ >5000 mg/kg, Oral, Rat Potential chronic effects on health: 408 Repeated Dose 90-Day

Oral Toxicity Study in Rodents: NOAEL 107 mg/kg, Oral, Rat

Acute toxicity - dermal

Notes (dermal LD₅o) LD₅o >10000 mg/kg, Dermal, Rabbit

Skin sensitisation

Skin sensitisation Not sensitising.



TURBIN YAGI 46

According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended. Commission Regulation (EU) 2020/878 of 18 June 2020.

Germ cell mutagenicity

Genotoxicity - in vitroBacterial reverse mutation test: Negative. Chromosome aberration: Negative.

Reproductive toxicity

Reproductive toxicity - fertility Fertility - Negative., Oral, Rat

Reproductive toxicity -

development

Developmental toxicity: -: Ambiguous uncertain, Oral, Rat Maternal toxicity: -: Positive., Oral,

Rat

N-1-naftilanilin

Acute toxicity - oral

Notes (oral LD50) LD50 1625 mg/kg, Oral, Rat Potential chronic effects on health: 407 Repeated Dose 28-day

Oral Toxicity Study in Rodents Sub-akut, NOAEL 5 mg/kg, Oral, Rat 408 Repeated Dose 90-

Day Oral Toxicity Study in Rodents Sub-kronik, NOAEL 5 mg/kg, Oral, Rat

ATE oral (mg/kg) 500.0

Acute toxicity - dermal

Notes (dermal LD₅₀) LD₅₀ >2000 mg/kg, Dermal, Rabbit

Skin corrosion/irritation

Skin corrosion/irritation Not irritating.

Serious eye damage/irritation

Serious eye damage/irritation Not irritating.

Skin sensitisation

Skin sensitisation Sensitising.

Germ cell mutagenicity

Genotoxicity - in vitro Bacterial reverse mutation test: Negative. Chromosome aberration: Negative.

Reproductive toxicity

Reproductive toxicity -

development

Teratogenicity: -: Negative., Oral, Rat

Specific target organ toxicity - repeated exposure

Target organs Kidneys Blood system

Bis(nonilfenil)amin

Acute toxicity - oral

Notes (oral LD₅₀) LD₅₀ >5000 mg/kg, Oral, Rat LOAEL, Sub-kronik 100 mg/kg, Oral, Rat

Acute toxicity - dermal

Notes (dermal LD₅₀) LD₅₀ >2000 mg/kg, Dermal, Rat

Skin corrosion/irritation

Skin corrosion/irritation Moderately irritating.

Skin sensitisation

Skin sensitisation Not sensitising.



TURBIN YAGI 46

According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended. Commission Regulation (EU) 2020/878 of 18 June 2020.

Germ cell mutagenicity

Genotoxicity - in vitroBacterial reverse mutation test: Negative. Chromosome aberration: Negative. Gene mutation:

Negative.

Reproductive toxicity

Reproductive toxicity -

development

Teratogenicity: -: Negative., Oral, Rat

Exchangeable neutral oils

Acute toxicity - oral

Notes (oral LD₅o) LD₅o >2000 mg/kg, Oral, Rat

Acute toxicity - dermal

Notes (dermal LD₅₀) LD₅₀ >2000 mg/kg, Dermal, Rabbit

Damıtıklar (petrol), hidrojenle muamele edilmiş ağır parafinik

Acute toxicity - oral

Notes (oral LD₅o) LD₅o >5000 mg/kg, Oral, Rat

Acute toxicity - dermal

Notes (dermal LD₅₀) LD₅₀ >5000 mg/kg, Dermal, Rabbit

Acute toxicity - inhalation

Notes (inhalation LC50) LC50 >5,53 mg/l, 4 hour, Vapour Rat

Skin corrosion/irritation

Skin corrosion/irritation Not irritating.

Serious eye damage/irritation

Serious eye damage/irritation Not irritating.

Skin sensitisation

Skin sensitisation Not sensitising

Germ cell mutagenicity

Genotoxicity - in vitroBacterial reverse mutation test: Negative. Chromosome aberration: Negative. Gene mutation:

Negative. Micronucleus Test: Negative.

Carcinogenicity

Carcinogenicity 78 week, Negative., Dermal, Mouse

Reproductive toxicity

Reproductive toxicity - fertility - Negative., Oral, Rat

Reproductive toxicity -

development

Teratogenicity: -: Negative., Dermal, Rat

Damıtıklar (petrol), hidrojenle muamele edilmiş hafif parafinik

Acute toxicity - oral



TURBIN YAGI 46

According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended. Commission Regulation (EU) 2020/878 of 18 June 2020.

Notes (oral LD₅o) LD₅o >5000 mg/kg, Oral, Rat Sub-kronik, NOAEL 125 mg/kg, Oral, Rat

Acute toxicity - dermal

Notes (dermal LD50) LD50 >5000 mg/kg, Dermal, Rabbit Sub-kronik, NOAEL 30 mg/kg, Dermal, Rat Sub-akut,

NOAEL 1000 mg/kg, Dermal, Rabbit

Acute toxicity - inhalation

Notes (inhalation LC₅₀) LC50 >5,53 mg/l, 4 hour, Dust/Mist Rat Sub-kronik, NOAEL 0,15 mg/l, 13 week, Dust/Mist Rat

Sub-akut, NOAEL 0,22 mg/l, 4 week, Dust/Mist Rat

Skin corrosion/irritation

Skin corrosion/irritation Not irritating

Serious eye damage/irritation

Serious eye damage/irritation Not irritating.

Skin sensitisation

Skin sensitisation Not sensitising.

Germ cell mutagenicity

Genotoxicity - in vitro Bacterial reverse mutation test: Negative. Chromosome aberration: Negative.

Reproductive toxicity

Reproductive toxicity -

development

Developmental toxicity: -: Negative., Oral, Rat

Metil-1H-benzotriazol

Acute toxicity - oral

Notes (oral LD₅o) LD₅o 720 mg/kg, Oral, Rat Sub-akut, NOAEL 150 mg/kg, Oral, Rat

ATE oral (mg/kg) 500.0

Acute toxicity - dermal

Notes (dermal LD₅₀) LD₅₀ >2000 mg/kg, Dermal, Rabbit

Acute toxicity - inhalation

Notes (inhalation LC₅₀) LC50 >1730 mg/m³, 1 hour, Vapour Rat

Skin corrosion/irritation

Skin corrosion/irritation Not corrosive to skin.

Serious eye damage/irritation

Serious eye damage/irritation Not irritating.

Skin sensitisation

Skin sensitisation Not sensitising.

Germ cell mutagenicity

Genotoxicity - in vitro Bacterial reverse mutation test: Negative. Micronucleus Test: Negative.

Reproductive toxicity



According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended. Commission Regulation (EU) 2020/878 of 18 June 2020.

Reproductive toxicity - development

Developmental toxicity: -: Negative., Oral, Rat

Lubricating oils (petroleum), C15-30, based on hydrogenated neutral oil

Acute toxicity - oral

Notes (oral LD₅₀) LD₅₀ >5000 mg/kg, Oral, Rat Sub-kronik, NOAEL 125 mg/kg, Oral, Rat

Acute toxicity - dermal

Notes (dermal LD₅₀) LD₅₀ >5000 mg/kg, Dermal, Rabbit Sub-kronik, NOAEL 30 mg/kg, Dermal, Rat Sub-akut,

NOAEL 1000 mg/kg, Dermal, Rabbit

Acute toxicity - inhalation

Notes (inhalation LC50) LC50 >5,53 mg/l, 4 hour, Vapour Rat Sub-akut 0,98 mg/l, 4 week, Vapour Rat Sub-kronik 0,15

mg/l, 13 week, Vapour Rat

Skin corrosion/irritation

Skin corrosion/irritation Not irritating.

Serious eye damage/irritation

Serious eye damage/irritation Not irritating.

Skin sensitisation

Skin sensitisation Not sensitising.

Germ cell mutagenicity

Genotoxicity - in vitroBacterial reverse mutation test: Negative. Chromosome aberration: Negative.

Carcinogenicity

Carcinogenicity TD 78 Ambiguous uncertain, , Mouse

Reproductive toxicity

Reproductive toxicity -

development

Developmental toxicity: -: Negative., Dermal, Rat Developmental toxicity: -: Negative., Oral,

Rat Teratogenicity: -: Negative., Dermal, Rat

Aspiration hazard

Aspiration hazard Aspiration Hazard

Difenilamin

Acute toxicity - oral

Notes (oral LD₅o) LD₅o 1165 mg/kg, Oral, Rat NOAEL 3 mg/kg, Oral, Rat

ATE oral (mg/kg) 100.0

Acute toxicity - dermal

Notes (dermal LD₅₀) LD₅₀ >5000 mg/kg, Dermal, Rabbit

ATE dermal (mg/kg) 300.0

Acute toxicity - inhalation

ATE inhalation (vapours mg/l) 3.0

Skin corrosion/irritation



TURBIN YAGI 46

According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended. Commission Regulation (EU) 2020/878 of 18 June 2020.

Skin corrosion/irritation Not irritating.

Serious eye damage/irritation

Serious eye damage/irritation Slightly irritating.

Skin sensitisation

Skin sensitisation Not sensitising.

Germ cell mutagenicity

Genotoxicity - in vitro Chromosome aberration: Positive. Bacterial reverse mutation test: Negative. Micronucleus

Test: Negative.

Carcinogenicity

Carcinogenicity NOAEL Negative., Oral, Mouse

Reproductive toxicity

Reproductive toxicity -

development

Developmental toxicity: -: Ambiguous uncertain, Oral, Rat

Specific target organ toxicity - repeated exposure

STOT - repeated exposure STOT RE = Specific target organ toxicity-repeated exposure

SECTION 12: Ecological information

Ecotoxicity The product is not expected to be hazardous to the environment.

Ecological information on ingredients.

Distillates (petroleum), hydrotreated heavy paraffinic

Ecotoxicity May be harmful to aquatic organisms. Spills form film layer on water surface and prevent

oxygen transfer

12.1. Toxicity

Toxicity There is not enough data.

Acute aquatic toxicity

Summary Based on available information, the classification criteria are not met.

Acute toxicity - fish Based on available data the classification criteria are not met.

Acute toxicity - aquatic

invertebrates

Based on available data the classification criteria are not met.

Based on available data the classification criteria are not met.

Acute toxicity - aquatic plants Based on available data the classification criteria are not met.

Acute toxicity - terrestrial No information required.

Chronic aquatic toxicity

Summary Based on available information, the classification criteria are not met.

Chronic toxicity - fish early life

Acute toxicity - microorganisms

stage

No information required.



TURBIN YAGI 46

According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended. Commission Regulation (ÉÙ) 2020/878 of 18 June 2020.

Short term toxicity - embryo and

sac fry stages

No information required.

Chronic toxicity - aquatic

invertebrates

Based on available data the classification criteria are not met.

Toxicity to soil There is not enough data. Toxicity to terrestrial plants There is not enough data.

Ecological information on ingredients.

2,6-di-tersiyer-bütilfenol

Acute aquatic toxicity

LE(C)50 $0.1 < L(E)C50 \le 1$

M factor (Acute)

Acute toxicity - fish LC₅₀, 96 hour: 1,4 mg/l, Pimephales promelas (Fat-head Minnow)

Acute toxicity - aquatic

invertebrates

EC₅o, 48 hour: 0,45 mg/l, Daphnia magna

Acute toxicity -

microorganisms

EC₅₀, 3 hour: >1000 mg/l, Micro-organisms

Chronic aquatic toxicity

M factor (Chronic)

Chronic toxicity - aquatic

invertebrates

NOEC, 21 day: 0,035 mg/l, Daphnia magna

NOEC, 96 hour: 0,64 mg/l, Alg

N-1-naftilanilin

Acute aquatic toxicity

 $0.1 < L(E)C50 \le 1$ LE(C)50

M factor (Acute)

Acute toxicity - fish LL₅₀, 96 hour: 0,44 mg/l, Oncorhynchus mykiss (Rainbow trout)

Acute toxicity - aquatic

invertebrates

EL50, 48 hour: 0,3 mg/l, Daphnia magna

Acute toxicity - aquatic plants EL50, 96 hour: 0,93 mg/l, Pseudokirchneriella subcapitata

Acute toxicity -EL50, 3 hour: >10000 mg/l, Micro-organisms

microorganisms

Chronic aquatic toxicity

M factor (Chronic)

Chronic toxicity - aquatic

invertebrates

NOEL, 21 day: 0,032 mg/l, Daphnia magna



TURBIN YAGI 46

According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended. Commission Regulation (ÉÙ) 2020/878 of 18 June 2020.

Bis(nonilfenil)amin

Acute aquatic toxicity

LL₅₀, 96 hour: >100 mg/l, Danio rerio (Zebrafish) Acute toxicity - fish

Acute toxicity - aquatic

invertebrates

EL50, 48 hour: >100 mg/l, Daphnia magna

IC₅₀, 3 hour: >100 mg/l, Micro-organisms

Acute toxicity - aquatic plants EL50, 72 hour: 100 mg/l, Desmodesmus subspicatus

Acute toxicity -

microorganisms

Chronic aquatic toxicity

Chronic toxicity - aquatic

invertebrates

NOEL, 72 hour: >10 mg/l, Alg

Damıtıklar (petrol), hidrojenle muamele edilmiş hafif parafinik

Acute aquatic toxicity

Acute toxicity - fish LL₅₀, 96 hour: >100 mg/l, Pimephales promelas (Fat-head Minnow)

Acute toxicity - aquatic

invertebrates

EL50, 48 hour: >10000 mg/l, Daphnia magna

Chronic aquatic toxicity

Chronic toxicity - fish early life NOEL, 14 day: >=1000 mg/l, Oncorhynchus mykiss (Rainbow trout)

Chronic toxicity - aquatic

invertebrates

stage

NOEL, 21 day: 10 mg/l, Daphnia magna

NOEL, 72 hour: >=100 mg/l, Alg

Metil-1H-benzotriazol

Acute aquatic toxicity

Acute toxicity - fish LL₅₀, 96 hours: 180 mg/l, Danio rerio (Zebrafish)

Acute toxicity - aquatic

EL50, 48 hour: 8,58 mg/l, Daphnia magna

invertebrates

Fresh water

Acute toxicity - aquatic plants EL50, 72 hour: 75 mg/l, Freshwater algae

Acute toxicity microorganisms

invertebrates

EL50, 24 hour: 1060 mg/l, Micro-organisms

Chronic aquatic toxicity

Chronic toxicity - aquatic

EL10, 72 hour: 1,18 mg/l, Alg, Fresh water EL10, 21 day: 0,4 mg/l, Daphnia magna

Lubricating oils (petroleum), C15-30, based on hydrogenated neutral oil

Acute aquatic toxicity

Acute toxicity - fish LL₅o, 96 hour: >100 mg/l, Pimephales promelas (Fat-head Minnow)



TURBIN YAGI 46

According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended. Commission Regulation (ÉÙ) 2020/878 of 18 June 2020.

Acute toxicity - aquatic

EL50, 48 hours: >10000 mg/l, Daphnia magna

invertebrates

Chronic aquatic toxicity

Chronic toxicity - fish early life NOEL, 14 day: 1000 mg/l, Oncorhynchus mykiss (Rainbow trout)

stage

NOEL, 72 hour: >=100 mg/l, Alg Chronic toxicity - aquatic

invertebrates NOEL, 21 day: 10 mg/l, Daphnia magna

Difenilamin

Acute aquatic toxicity

LE(C)50 0.1 < L(E)C50 ≤ 1

M factor (Acute)

Acute toxicity - fish LC₅₀, 96 hour: 3,79 mg/l, Pimephales promelas (Fat-head Minnow)

Acute toxicity - aquatic

invertebrates

EC₅₀, 48 hour: 2 mg/l, Daphnia magna

Acute toxicity - aquatic plants EC₅₀, 72 hour: 0,43 mg/l, Algae

Chronic aquatic toxicity

M factor (Chronic)

Chronic toxicity - fish early life NOEL, 21 day: 0,625 mg/l, Oryzias latipes (Red killifish)

Chronic toxicity - aquatic NOEC, 72 hour: 0,027 mg/l, Alg

invertebrates NOEL, 21 day: 0,125 mg/l, Daphnia magna

12.2. Persistence and degradability

Persistence and degradability Based on available information, the classification criteria are not met.

Phototransformation No specific test data are available. Stability (hydrolysis) No specific test data are available. Biodegradation No specific test data are available. Biological oxygen demand No specific test data are available. Chemical oxygen demand No specific test data are available.

Ecological information on ingredients.

Distillates (petroleum), hydrotreated heavy paraffinic

Biodegradation Not expected to be readily biodegradable.

2,6-di-tersiyer-bütilfenol

Biodegradation OECD TG 302 C - 12-24: % 28 day

Not readily biodegradable.



TURBIN YAGI 46

According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended. Commission Regulation (EU) 2020/878 of 18 June 2020.

N-1-naftilanilin

Biodegradation OECD 301 C - 0: % 28 day

Not readily biodegradable.

Bis(nonilfenil)amin

Biodegradation OECD 301 B - 1: % 28 day

Damıtıklar (petrol), hidrojenle muamele edilmiş hafif parafinik

Biodegradation OECD 301 F - 31: % 28 day

Metil-1H-benzotriazol

Biodegradation OECD 301 F - 4: % 28 day

Lubricating oils (petroleum), C15-30, based on hydrogenated neutral oil

Biodegradation OECD 301 F - 31: % 28 day

Difenilamin

Biodegradation OECD 301 C - 38: % 28 day

OECD 301 D - 26: % 28 day

12.3. Bioaccumulative potential

Bioaccumulative potential No information required.

Partition coefficient No specific test data are available.

Ecological information on ingredients.

Distillates (petroleum), hydrotreated heavy paraffinic

Bioaccumulative potential Potentially bioaccumulating.

2,6-di-tersiyer-bütilfenol

Bioaccumulative potential log Pow: 4,5,

N-1-naftilanilin

Bioaccumulative potential log Pow: 4,28, BCF: 1424,

Bis(nonilfenil)amin

Bioaccumulative potential log Pow: 3,64-7,02, BCF: 1730,

Difenilamin

Bioaccumulative potential log Pow: 3,5, BCF: 151,36,

12.4. Mobility in soil



According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended. Commission Regulation (EU) 2020/878 of 18 June 2020.

Mobility The product is immiscible with water and will spread on the water surface.

Adsorption/desorption coefficientNo specific test data are available.Henry's law constantNo specific test data are available.Surface tensionNo specific test data are available.

Ecological information on ingredients.

Distillates (petroleum), hydrotreated heavy paraffinic

Mobility Liquid under most environmental conditions. Floats on water. If spread into ground the

groundwater may be polluted.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB

assessment

No data available.

12.6 Endocrine disrupting

properties

Endocrine disrupting properties This product does not have endocrine disrupting properties.

12.6. Other adverse effects

Other adverse effects This product contains components that have a harmful effect on the aquatic environment. Do not allow to

enter into soil, rivers or sewers.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

General information The generation of waste should be minimised or avoided wherever possible.

Disposal methods

Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste

Disposal Authority.

Waste class

The waste code classification is to be carried out according to the European Waste Catalogue (EWC).

SECTION 14: Transport information

General The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA,

ADR/RID).

Road transport notesNot classified.Rail transport notesNot classified.Sea transport notesNot classified.Air transport notesNot classified.

14.1. UN number

UN number or ID number

Not applicable.

14.2. UN proper shipping name

Not applicable.



TURBIN YAGI 46

According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended. Commission Regulation (EU) 2020/878 of 18 June 2020.

14.3. Transport hazard class(es)

No transport warning sign required.

Transport labels

No transport warning sign required.

14.4. Packing group

Not applicable.

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

No.

14.6. Special precautions for user

Not applicable.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Maritime transport in bulk

according to IMO instruments

Not applicable.

Transport in bulk according to

Annex II of MARPOL 73/78 and

the IBC Code

Not applicable.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations T. C. Regulation on the Classification, Labeling and Packaging of Substances and Mixtures No. 28848,

dated 11 December 2013, by the Ministry of Environment and Urbanization.

T. C. Ministry of Environment and Urbanization Regulation on Safety Data Sheets on Hazardous

Substances and Mixtures

EU legislation Commission Regulation (EU) No 453/2010 of 20 May 2010.

Dangerous Preparations Directive 1999/45/EC. Dangerous Substances Directive 67/548/EEC.

Guidance Safety Data Sheets for Substances and Preparations.

Health and environmental listings Hazardous ingredients are listed.

15.2. Chemical safety assessment

SECTION 16: Other information



TURBIN YAGI 46

According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended. Commission Regulation (EU) 2020/878 of 18 June 2020.

Abbreviations and acronyms used DMSO: Dimethyl sulfoxide in the safety data sheet E.U.: European union

KKE: Personal protective aquipment

T.C.: Republic of Turkey
TWA: Workplace exposure limits

UZEM: National Poison Information Center

ATE: Acute Toxicity Estimate.

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.

CAS: Chemical Abstracts Service.

LC₅o: Lethal Concentration to 50 % of a test population.

LD₅o: Lethal Dose to 50% of a test population (Median Lethal Dose).

PBT: Persistent, Bioaccumulative and Toxic substance.

REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No

1907/2006

vPvB: Very Persistent and Very Bioaccumulative.
NOEC: No Observed Effect Concentration.
FCsc: 50% of maximal Effective Concentration

General information

Only trained personnel should use this material. This document contains important information to ensure the safe storage, handling and use of this product. The information in this document should be brought to the attention of the person in your organisation responsible for advising on safety matters. Uses and Restrictions: This product must not be used in applications other than those recommended in Section 1, without first seeking the advice of the supplier. This product is not to be used as a solvent or cleaning agent; for lighting or brightening fires; as a skin cleanser. Disclaimer: This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

Key literature references and sources for data

This SDS is prepared based on the information received from raw material suppliers. Source: European Chemicals Agency, http://echa.europa.eu/

Classification procedures according to Regulation (EC) 1272/2008

Not classified for health hazards.: Calculation method., Supplier information Not classified for environmental hazards.: Calculation method., Supplier information Not classified for physical hazards.:

Calculation method., Supplier information

Training advice Untrained personnel should not use.

Revision comments Revised classification.

Issued by Sena Ezgi Selçuk Chemical Assessment Specialist (Certificate No: KDU01.29.06 17.12.2027)

Revision date 13/01/2025

Revision 5

Supersedes date 17/06/2011
SDS number 10274
SDS status Approved.

...

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.