SAFETY DATA SHEET
MAXIMUS LA 5W30

According to Regulation (EC) No 1907/2006, Annex II, as amended by Regulation (EU) No 453/2010

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name MAXIMUS LA 5W30

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Engine oil.

Uses advised against Use only for intended applications.

1.3. Details of the supplier of the safety data sheet

Supplier PETROL OFİSİ A.Ş.
Ünalan Mahallesi, Libadiye Caddesi No: 82F Kat: 2-3-4, 34700 Üsküdar/ Istanbul
Tel: +90 850 339 1919
Fax: +90 216 275 3854
madeniyag@petrolofisi.com.tr

Contact person Customer Services: madeniyag@petrolofisi.com.tr

1.4. Emergency telephone number

Emergency telephone Madeni Yağ Customer Services: 0850 339 1919 (working hours)

National emergency telephone number Emergency Medical Services: 112 National Poison Consultance Center: 114

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

Physical hazards Not Classified

Health hazards Eye Irrit. 2 - H319

Environmental hazards Aquatic Chronic 3 - H412

Human health May cause temporary skin or eye irritation.

Environmental The product contains a substance which is harmful to aquatic organisms and which may cause long-term adverse effects in the aquatic environment.

Physicochemical This product is not flammable.

2.2. Label elements

Hazard pictograms

Signal word Warning

MAXIMUS LA 5W30

Hazard statements EUH208 Contains Kalsiyum uzun zincirli alkaril sülfonat, Calcium long chain alkaryl sulphonate. May produce an allergic reaction.
H319 Causes serious eye irritation.
H412 Harmful to aquatic life with long lasting effects.

Precautionary statements P264 Wash contaminated skin thoroughly after handling.
P273 Avoid release to the environment.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337+P313 If eye irritation persists: Get medical advice/ attention.
P501 Dispose of contents/ container in accordance with national regulations.

2.3. Other hazards

No other information known.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Distillates (petroleum), hydrotreated heavy paraffinic baseoil **60-80%**

CAS number: 64742-54-7 EC number: 265-157-1 REACH registration number: 01-2119484627-25-0065

Classification
Asp. Tox. 1 - H304

Distillates (petroleum), hydrogenated heavy parafinic **10-20%**

CAS number: — EC number: 265-157-1

Classification
Asp. Tox. 1 - H304

Yüksek düzeyde rafine edilmiş madeni yağ (C15- C50) **5-10%**

CAS number: —

Classification
Not Classified

Polyolefin poliamine succınımıd, borated **1-5%**

CAS number: —

Classification
Aquatic Chronic 4 - H413

MAXIMUS LA 5W30

Zinc alkyl dithiophosphate **1-5%**

CAS number: 68649-42-3

M factor (Acute) = 1

Classification
Eye Dam. 1 - H318
Aquatic Acute 1 - H400
Aquatic Chronic 2 - H411

polyolefin polyamine succinimide, polyol **1-5%**

CAS number: —

Classification
Aquatic Chronic 4 - H413

Alkaril amin **1-5%**

CAS number: —

Classification
Aquatic Chronic 4 - H413

Kalsiyum uzun zincirli alkaril sülfonat **<1%**

CAS number: —

Classification
Aquatic Chronic 4 - H413

Kalsiyum uzun zincirli alkaril sülfonat **<1%**

CAS number: 722503-68-6

Classification
Skin Sens. 1 - H317
Aquatic Chronic 4 - H413

Calcium long chain alkaryl sulphonate **<1%**

CAS number: 722503-69-7

Classification
Skin Sens. 1B - H317
Aquatic Chronic 4 - H413

Alkil fenat sülfit dallanmış kalsiyum zinciri **<1%**

CAS number: —

Classification
Aquatic Chronic 4 - H413

MAXIMUS LA 5W30

Blocked alkyl phenol ester	**<1%**
CAS number: —	
Classification	
Aquatic Chronic 4 - H413	

Branched alkyl phenol and calcium alkyl phenol	**<1%**
CAS number: —	
M factor (Acute) = 1	M factor (Chronic) = 1
Classification	
Skin Irrit. 2 - H315 Eye Irrit. 2 - H319 Repr. 1B - H360 Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410	

2,6-di-tert-butyl-p-cresol	**<1%**
CAS number: —	EC number: 204-881-4
M factor (Acute) = 1	M factor (Chronic) = 1
Classification	
Skin Irrit. 2 - H315 Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410	

The full text for all hazard statements is displayed in Section 16.

Composition comments The data shown are in accordance with the latest EC Directives. Some substances are not classified by legistlation.They are self classified by the manufacturer. The DMSO extract by IP 346 of the oil is less than 3%

Ingredient notes See Section 8 for occupational exposure limits.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information Get medical attention if any discomfort continues.

Inhalation Move affected person to fresh air at once. Rinse nose and mouth with water. Get medical attention if any discomfort continues.

Ingestion Never give anything by mouth to an unconscious person. Do not induce vomiting. Rinse mouth thoroughly with water. Get medical attention if any discomfort continues.

Skin contact Remove affected person from source of contamination. Remove contaminated clothing. Wash skin thoroughly with soap and water. Get medical attention if any discomfort continues.

Eye contact Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes. Continue to rinse for at least 15 minutes. Get medical attention if any discomfort continues.

Protection of first aiders First aid personnel should wear appropriate protective equipment during any rescue.

4.2. Most important symptoms and effects, both acute and delayed

MAXIMUS LA 5W30

General information	See Section 11 for additional information on health hazards. Treat symptomatically.
Inhalation	No specific symptoms known.
Ingestion	No specific symptoms known.
Skin contact	May cause sensitisation or allergic reactions in sensitive individuals.
Eye contact	May cause irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor	No specific treatment. Treat symptomatically.
Specific treatments	Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	The product is not flammable. Extinguish with the following media: Carbon dioxide (CO2). Dry chemicals. Foam.
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture

Specific hazards	Oxides of carbon. Oxides of nitrogen.
Hazardous combustion products	Yanma sonucu şu maddelerin oksitleri oluşabilir: Bor, Fosfor, Kalsiyum, Çinko, Nitrojen. Sulphur oxides. Carbon dioxide (CO2). Carbon monoxide (CO).

5.3. Advice for firefighters

Protective actions during firefighting	Avoid breathing fire gases or vapours. Control run-off water by containing and keeping it out of sewers and watercourses. Use water to keep fire exposed containers cool and disperse vapours.
Special protective equipment for firefighters	Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Use air-supplied respirator, gloves and protective goggles.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions	Wear protective clothing as described in Section 8 of this safety data sheet. Avoid contact with skin and eyes.
For non-emergency personnel	Necessary precautions should be taken to ensure that non-educated personnel do not intervene.
For emergency responders	Stop the leakage source if it can be done without risk.Limit spillage to prevent further contamination of soil, surface or ground water.Remove any spilled material as soon as possible by following the precautions in the section Exposure Controls / Personal Protection.Use suitable techniques such as non-flammable absorbent materials or pumping.When possible or appropriate, remove the contaminated soil from the area.Place contaminated products in disposable boxes and dispose of in accordance with regulations.If a heated material is spilled, allow it to cool before handling with disposal methods. Proper ventilation should be provided. Notification: In case of spillage, notify the local authorities as appropriate or as necessary.

6.2. Environmental precautions

Environmental precautions	Do not discharge into drains or watercourses or onto the ground.

MAXIMUS LA 5W30

6.3. Methods and material for containment and cleaning up

Methods for cleaning up Stop leak if possible without risk. Absorb in vermiculite, dry sand or earth and place into containers. Flush contaminated area with plenty of water. Avoid the spillage or runoff entering drains, sewers or watercourses. For waste disposal, see Section 13.

6.4. Reference to other sections

Reference to other sections For personal protection, see Section 8. See Section 7 for more information on safe handling. See Section 11 for additional information on health hazards. For waste disposal, see Section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions Avoid spilling. Avoid contact with skin and eyes. Avoid contact with skin and eyes.

Advice on general occupational hygiene Persons susceptible to allergic reactions should not handle this product. Do not eat, drink or smoke when using this product. Eye wash facilities and emergency shower must be available when handling this product. Good personal hygiene procedures should be implemented.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Store in tightly-closed, original container in a dry, cool and well-ventilated place. Keep containers upright. Keep away from food, drink and animal feeding stuffs. Keep out of the reach of children.

Storage class Chemical storage.

7.3. Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

Usage description The product must be used as specified in the data sheet. Good ventilation should be provided in the working environment and the vapor generated during use should be avoided.Avoid contact with skin and apply hygienic rules .Avoid contact with eyes.Goggles or face to prevent eye contact
mask should be used.Use disposable clothing.Dispose of contaminated clothing without packaging.It should not be siphoned by mouth.

SECTION 8: Exposure controls/Personal protection

8.1. Control parameters

Occupational exposure limits

Distillates (petroleum), hydrotreated heavy paraffinic baseoil

There is no available data.

Yüksek düzeyde rafine edilmiş madeni yağ (C15- C50)

Mineral Oil; TWA: 5 mg/m3 , ACGIH (United States)
Mineral oil: ACGIH, STEL:10 mg/m3

Ingredient comments No other information known.

Biological limit values No other information known.

DNEL No other information known.

DMEL No other information known.

PNEC No other information known.

Distillates (petroleum), hydrotreated heavy paraffinic baseoil (CAS: 64742-54-7)

MAXIMUS LA 5W30

Ingredient comments	There is no available data.
Biological limit values	There is no available data.
DNEL	Workers - Inhalation; Long term systemic effects: 2,7 (8h) mg/m³ Workers - Inhalation; Long term local effects: 5,4 (8h) mg/m³ Consumer - Inhalation; Long term local effects: 1,2 (24h) mg/m³ Consumer - Oral; Long term systemic effects: 0,74 (24h) mg/kg/day Workers - Dermal; Long term systemic effects: 1,0 (8h) mg/kg
DMEL	No information available.
PNEC	No information available.

8.2. Exposure controls

Protective equipment

Appropriate engineering controls	Provide adequate ventilation.
Personal protection	Keep away from foodstuffs, beverages and foods. Instantly remove any soiled and impregnated garments. Wash hands during breaks and at the end of the work. Store protective clothing separately. The effectiveness of personal protective equipment, together with other elements, depends on the degree of ventilation. Depending on the particular situation in question, Get professional support. Personal protective equipment (PPE) should meet recommended national standards. Check with PPE suppliers.
Eye/face protection	Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. The following protection should be worn: Chemical splash goggles or face shield.
Hand protection	Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible. Wear protective gloves made of the following material: Polyvinyl chloride (PVC). Nitrile rubber. Butyl rubber.
Other skin and body protection	Wear appropriate clothing to prevent any possibility of skin contact. Wear rubber footwear. Wear apron or protective clothing in case of contact.
Hygiene measures	Do not smoke in work area. Wash at the end of each work shift and before eating, smoking and using the toilet. Promptly remove any clothing that becomes contaminated. Use appropriate skin cream to prevent drying of skin. Wash contaminated clothing before reuse. When using do not eat, drink or smoke.
Respiratory protection	No specific recommendations. Respiratory protection may be required if excessive airborne contamination occurs.
Thermal hazards	If there is a risk of contact with hot product, all protective equipment worn should be suitable for use with high temperatures.
Environmental exposure controls	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. Store in a demarcated bunded area to prevent release to drains and/or watercourses.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

MAXIMUS LA 5W30

Appearance	Liquid.
Colour	Brown.
Odour	Characteristic.
Odour threshold	No specific test data are available.
pH	Scientifically unjustified.
Melting point	No specific test data are available.
Initial boiling point and range	No specific test data are available.
Flash point	~ 230°C OC (Open cup).
Evaporation rate	No specific test data are available.
Evaporation factor	No specific test data are available.
Flammability (solid, gas)	No specific test data are available.
Upper/lower flammability or explosive limits	No specific test data are available.
Other flammability	No specific test data are available.
Vapour pressure	No specific test data are available.
Vapour density	No specific test data are available.
Relative density	No specific test data are available.
Bulk density	~ 0,85 @ 15C g/ml
Solubility(ies)	Insoluble in water.
Partition coefficient	No specific test data are available.
Auto-ignition temperature	No specific test data are available.
Decomposition Temperature	No specific test data are available.
Viscosity	~10,5 cSt @ 100°C
Explosive properties	No specific test data are available.
Explosive under the influence of a flame	No other information known.
Oxidising properties	No specific test data are available.
Comments	No specific test data are available.

9.2. Other information

Other information	No information required.
Refractive index	No specific test data are available.
Particle size	No specific test data are available.
Molecular weight	No specific test data are available.
Volatility	No specific test data are available.
Saturation concentration	No specific test data are available.
Critical temperature	No specific test data are available.

MAXIMUS LA 5W30

Volatile organic compound No specific test data are available.

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity There are no known reactivity hazards associated with this product.

10.2. Chemical stability

Stability Stable at normal ambient temperatures and when used as recommended.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions No hazardous reaction under normal conditions of storage and use.

10.4. Conditions to avoid

Conditions to avoid Avoid excessive heat for prolonged periods of time. Avoid contact with strong oxidising agents. Avoid contact with acids and alkalis.

10.5. Incompatible materials

Materials to avoid Strong alkalis. Strong acids.

10.6. Hazardous decomposition products

Hazardous decomposition products Fire creates: Carbon monoxide (CO). Carbon dioxide (CO2). Alkyl mercaptans. Hydrogen sulphide (H2S). Bozunma sıcaklığına ısıtıldığında COx duman ve tahriş edici buharlarını salabilir. Thermal decomposition or combustion may generate smoke, carbon monoxide, carbon dioxide,irritating vapors and other products of incomplete combustion.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicological effects Based on available data the classification criteria are not met.

Other health effects Based on available data the classification criteria are not met.

Acute toxicity - oral

Summary Based on available data the classification criteria are not met.

Notes (oral LD_{50}) Based on available data the classification criteria are not met.

Acute toxicity - dermal

Summary Based on available data the classification criteria are not met.

Notes (dermal LD_{50}) Based on available data the classification criteria are not met.

Acute toxicity - inhalation

Summary Based on available data the classification criteria are not met.

Notes (inhalation LC_{50}) Based on available data the classification criteria are not met.

Skin corrosion/irritation

Summary Based on available data the classification criteria are not met.

Skin corrosion/irritation Based on available data the classification criteria are not met.

Animal data Based on available data the classification criteria are not met.

Human skin model test Based on available data the classification criteria are not met.

Extreme pH Based on available data the classification criteria are not met.

MAXIMUS LA 5W30

Serious eye damage/irritation

Summary	Causes serious eye irritation.
Serious eye damage/irritation	Causes eye irritation.

Respiratory sensitisation

Summary	Based on available data the classification criteria are not met.
Respiratory sensitisation	Based on available data the classification criteria are not met.

Skin sensitisation

Summary	May cause an allergic skin reaction.
Skin sensitisation	May cause sensitisation or allergic reactions in sensitive individuals.

Germ cell mutagenicity

Summary	Based on available data the classification criteria are not met.
Genotoxicity - in vitro	Based on available data the classification criteria are not met.
Genotoxicity - in vivo	Based on available data the classification criteria are not met.

Carcinogenicity

Summary	Based on available data the classification criteria are not met.
Carcinogenicity	Based on available data the classification criteria are not met.
Target organ for carcinogenicity	No specific target organs known.
IARC carcinogenicity	Not known.
NTP carcinogenicity	Based on available data the classification criteria are not met.

Reproductive toxicity

Summary	Based on available data the classification criteria are not met.
Reproductive toxicity - fertility	Based on available data the classification criteria are not met.
Reproductive toxicity - development	Based on available data the classification criteria are not met.

Specific target organ toxicity - single exposure

Summary	Based on available data the classification criteria are not met.
STOT - single exposure	Based on available data the classification criteria are not met.
Target organs	No specific target organs known.

Specific target organ toxicity - repeated exposure

Summary	Based on available data the classification criteria are not met.
STOT - repeated exposure	Based on available data the classification criteria are not met.
Target organs	No specific target organs known.

Aspiration hazard

Summary	Based on available data the classification criteria are not met.
Aspiration hazard	Based on available data the classification criteria are not met.

Toxicokinetics	Based on available data the classification criteria are not met.

MAXIMUS LA 5W30

General information	Based on available data the classification criteria are not met.
Inhalation	Gas or vapour in high concentrations may irritate the respiratory system. Symptoms following overexposure may include the following: Coughing.
Ingestion	May cause discomfort if swallowed. Gastrointestinal symptoms, including upset stomach.
Skin contact	Skin irritation should not occur when used as recommended. Liquid may irritate skin.
Eye contact	Irritating to eyes.
Acute and chronic health hazards	No other information known.
Route of exposure	No other information known.
Target organs	No specific target organs known.
Medical symptoms	No other information known.
Medical considerations	No other information known.

Toxicological information on ingredients.

Distillates (petroleum), hydrotreated heavy paraffinic baseoil

Toxicological effects	Information given is based on data of the components and of similar products.
Other health effects	No information required.

Acute toxicity - oral

Summary	Based on available data the classification criteria are not met.
Notes (oral LD_{50})	LD_{50} >5000 (OECD 401)/API 1982a mg/kg, Oral, Rat

Acute toxicity - dermal

Summary	Based on available data the classification criteria are not met.
Notes (dermal LD_{50})	LD_{50} >5000 (OECD 402)/API 1982a mg/kg, Dermal, Rabbit

Acute toxicity - inhalation

Summary	Based on available data the classification criteria are not met.
Notes (inhalation LC_{50})	LC50, 4h 5,53 (OECD 403)/Exxon Biomedical Sciences, Inc.(1988a) mg/l, Inhalation, Rat

Skin corrosion/irritation

Summary	Based on available data the classification criteria are not met.
Skin corrosion/irritation	Based on available data the classification criteria are not met.
Animal data	Based on available data the classification criteria are not met.
Human skin model test	Based on available data the classification criteria are not met.
Extreme pH	Based on available data the classification criteria are not met.

Serious eye damage/irritation

Summary	Based on available data the classification criteria are not met.
Serious eye damage/irritation	Based on available data the classification criteria are not met.

Respiratory sensitisation

MAXIMUS LA 5W30

Summary	Based on available data the classification criteria are not met.
Respiratory sensitisation	Based on available data the classification criteria are not met.

Skin sensitisation

Summary	Based on available data the classification criteria are not met.
Skin sensitisation	Based on available data the classification criteria are not met.

Germ cell mutagenicity

Summary	Based on available data the classification criteria are not met.
Genotoxicity - in vitro	Based on available data the classification criteria are not met.
Genotoxicity - in vivo	Based on available data the classification criteria are not met.

Carcinogenicity

Summary	Based on available data the classification criteria are not met.
Carcinogenicity	Based on available data the classification criteria are not met.
Target organ for carcinogenicity	No specific target organs known.
IARC carcinogenicity	Not listed.
NTP carcinogenicity	Not listed.

Reproductive toxicity

Summary	Based on available data the classification criteria are not met.
Reproductive toxicity - fertility	Based on available data the classification criteria are not met.
Reproductive toxicity - development	Based on available data the classification criteria are not met.

Specific target organ toxicity - single exposure

Summary	Based on available data the classification criteria are not met.
STOT - single exposure	Based on available data the classification criteria are not met.
Target organs	No specific target organs known.

Specific target organ toxicity - repeated exposure

Summary	Based on available data the classification criteria are not met.
STOT - repeated exposure	Based on available data the classification criteria are not met.
Target organs	No specific target organs known.

Aspiration hazard

Summary	Slight irritation of the respiratory tract may occur, if mists are inhaled.
Aspiration hazard	May be fatal if swallowed and enters airways.

Toxicokinetics	No information required.
General information	No information required.

MAXIMUS LA 5W30

Inhalation	No information required.
Ingestion	No information required.
Skin contact	No information required.
Eye contact	No information required.
Acute and chronic health hazards	No information required.
Route of exposure	No information required.
Target organs	No specific target organs known.
Medical symptoms	No information required.
Medical considerations	No information required.

Distillates (petroleum), hydrogenated heavy parafinic

Carcinogenicity

Carcinogenicity	This product contains mineral oils which are severely refined and not considered carcinogenic. All of the oils in this product have been demonstrated to contain less than 3% extractables by the IP 346 test.

Aspiration hazard

Aspiration hazard	Material can be aspirated into the lungs during the act of swallowing or vomiting. This could result in severe injury to the lungs and death. (Supplier information)

2,6-di-tert-butyl-p-cresol

Reproductive toxicity

Reproductive toxicity - development	Gestation to pregnant mice 6-13. days after di-tert-butyl-p-cresol up to 800 mg / kg / day, no teratogenic effect was observed. (Supplier information)

SECTION 12: Ecological information

Ecotoxicity Harmful to aquatic life with long lasting effects.

Ecological information on ingredients.

Distillates (petroleum), hydrotreated heavy paraffinic baseoil

Ecotoxicity	Based on available data the classification criteria are not met.

12.1. Toxicity

Toxicity May cause long lasting harmful effects to aquatic life.

Acute aquatic toxicity

Summary	No other information known.
Acute toxicity - fish	No other information known.
Acute toxicity - aquatic invertebrates	No other information known.
Acute toxicity - aquatic plants	No other information known.
Acute toxicity - microorganisms	No other information known.

MAXIMUS LA 5W30

Acute toxicity - terrestrial	No other information known.

Chronic aquatic toxicity

Summary	No other information known.
Chronic toxicity - fish early life stage	No other information known.
Short term toxicity - embryo and sac fry stages	No other information known.
Chronic toxicity - aquatic invertebrates	No other information known.
Toxicity to soil	No other information known.
Toxicity to terrestrial plants	No other information known.

Ecological information on ingredients.

Distillates (petroleum), hydrotreated heavy paraffinic baseoil

Toxicity	Based on available data the classification criteria are not met.

Acute aquatic toxicity

Summary	Based on available data the classification criteria are not met.
Acute toxicity - fish	LL_{50}, : >100 mg/l, Fish LL_{50}, 96 (OECD 203) hours: >100 mg/l, Pimephales promelas (Fat-head Minnow)
Acute toxicity - aquatic invertebrates	LL_{50}, 24 (OECD 202) hours: >10000 mg/l, Gammarus pulex EL50, 24 (OECD 202) hours: >10000 mg/l, Daphnia magna
Acute toxicity - aquatic plants	No information required.
Acute toxicity - microorganisms	LL_{50}, : >100 mg/l, Micro-organisms
Acute toxicity - terrestrial	No information required.

Chronic aquatic toxicity

Summary	Based on available data the classification criteria are not met.
Chronic toxicity - fish early life stage	No information required.
Short term toxicity - embryo and sac fry stages	No information required.
Chronic toxicity - aquatic invertebrates	No information required.
Toxicity to soil	No information required.
Toxicity to terrestrial plants	No information required.

Distillates (petroleum), hydrogenated heavy parafinic

Acute aquatic toxicity

MAXIMUS LA 5W30

Acute toxicity - aquatic invertebrates	EC_{50}, 2 day: >10000 mg/l, Daphnia magna EC_{50}, 21 day: >10 mg/l, Daphnia magna NOEC, 21 day: 10 mg/l, Daphnia magna

Zinc alkyl dithiophosphate

Acute aquatic toxicity

$LE(C)_{50}$	0.1 < L(E)C50 ≤ 1
M factor (Acute)	1

Branched alkyl phenol and calcium alkyl phenol

Acute aquatic toxicity

$LE(C)_{50}$	0.1 < L(E)C50 ≤ 1
M factor (Acute)	1

Chronic aquatic toxicity

M factor (Chronic)	1

2,6-di-tert-butyl-p-cresol

Acute aquatic toxicity

$LE(C)_{50}$	0.1 < L(E)C50 ≤ 1
M factor (Acute)	1
Acute toxicity - aquatic invertebrates	EC_{50}, 2 day: 0,48 mg/l, Daphnia magna

Chronic aquatic toxicity

M factor (Chronic)	1

12.2. Persistence and degradability

Persistence and degradability	No other information known.
Phototransformation	No other information known.
Stability (hydrolysis)	No other information known.
Biodegradation	No other information known.
Biological oxygen demand	No other information known.
Chemical oxygen demand	No other information known.

Ecological information on ingredients.

Distillates (petroleum), hydrotreated heavy paraffinic baseoil

Persistence and degradability	OECD 301B:2-4 %,28 d ;OECD 301F:31 %,28 d
Phototransformation	Inconclusive data.
Stability (hydrolysis)	Inconclusive data.
Biodegradation	Inconclusive data.
Biological oxygen demand	Inconclusive data.

MAXIMUS LA 5W30

Chemical oxygen demand Inconclusive data.

Distillates (petroleum), hydrogenated heavy parafinic

Biodegradation Oxygen discharge - 31 %: 28 day, OECD TG 301 F

2,6-di-tert-butyl-p-cresol

Biodegradation Miscellaneous - 30 %: 14 day, OECD TG 302 C
Oxygen discharge - 4,5 %: 28 day, OECD TG 301 C

12.3. Bioaccumulative potential

Bioaccumulative potential No other information known.

Partition coefficient No specific test data are available.

Ecological information on ingredients.

Distillates (petroleum), hydrotreated heavy paraffinic baseoil

Bioaccumulative potential Inconclusive data.

Partition coefficient Inconclusive data.

2,6-di-tert-butyl-p-cresol

Partition coefficient log Kow: 5,03

12.4. Mobility in soil

Mobility The product is immiscible with water and will spread on the water surface.

Adsorption/desorption coefficient No other information known.

Henry's law constant No other information known.

Surface tension No other information known.

Ecological information on ingredients.

Distillates (petroleum), hydrotreated heavy paraffinic baseoil

Mobility No data available.

Adsorption/desorption coefficient Inconclusive data.

Henry's law constant Inconclusive data.

Surface tension Inconclusive data.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment No other information known.

Ecological information on ingredients.

Distillates (petroleum), hydrotreated heavy paraffinic baseoil

Results of PBT and vPvB assessment Not relevant.

MAXIMUS LA 5W30

12.6. Other adverse effects

Other adverse effects No other information known.

Ecological information on ingredients.

Distillates (petroleum), hydrotreated heavy paraffinic baseoil

Other adverse effects This product contains components that have a harmful effect on the aquatic environment.Do not allow to enter into soil, rivers or sewers.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

General information The packaging must be empty (drop-free when inverted). Do not puncture or incinerate, even when empty.

Disposal methods Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority. Environmental Manager must be informed of all major spillages. Avoid the spillage or runoff entering drains, sewers or watercourses. Do not re-use empty packages. please recycle empty packages.

Waste class The waste code classification is to be carried out according to the European Waste Catalogue (EWC).

SECTION 14: Transport information

General The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).

14.1. UN number

Not applicable.

14.2. UN proper shipping name

Not applicable.

14.3. Transport hazard class(es)

No transport warning sign required.

Transport labels
No transport warning sign required.

14.4. Packing group

Not applicable.

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant
No.

14.6. Special precautions for user

Not applicable.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable.

SECTION 15: Regulatory information

MAXIMUS LA 5W30

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

T. C. Ministry of Environment and Urbanization Regulation on Safety Data Sheets on Hazardous Substances and Mixtures
T. C. Regulation on the Classification, Labeling and Packaging of Substances and Mixtures No. 28848, dated 11 December 2013, by the Ministry of Environment and Urbanization.

EU legislation

Commission Regulation (EU) No 453/2010 of 20 May 2010.

Guidance

Safety Data Sheets for Substances and Preparations.
Source: European Chemicals Agency, http://echa.europa.eu/

15.2. Chemical safety assessment

SECTION 16: Other information

Abbreviations and acronyms used in the safety data sheet

E.U. : European union
DMSO: Dimethyl sulfoxide
KKE: Personal protective aquipment
T.C. : Republic of Turkey
TWA: Workplace exposure limits
UZEM: National Poison Information Center
DNEL: Derived No Effect Level.
CAS: Chemical Abstracts Service.
ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.
GHS: Globally Harmonized System.
IATA: International Air Transport Association.
LC_{50}: Lethal Concentration to 50 % of a test population.
LD_{50}: Lethal Dose to 50% of a test population (Median Lethal Dose).
PBT: Persistent, Bioaccumulative and Toxic substance.
REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006.
PNEC: Predicted No Effect Concentration.
vPvB: Very Persistent and Very Bioaccumulative.
MARPOL 73/78: International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978.

Classification abbreviations and acronyms

Acute Tox. = Acute toxicity
Asp. Tox. = Aspiration hazard
STOT SE = Specific target organ toxicity-single exposure
STOT RE = Specific target organ toxicity-repeated exposure
Skin Corr. = Skin corrosion
Skin Sens. = Skin sensitisation
Skin Irrit. = Skin irritation
Eye Dam. = Serious eye damage
Eye Irrit. = Eye irritation
Carc. = Carcinogenicity
Aquatic Acute = Hazardous to the aquatic environment (acute)
Aquatic Chronic = Hazardous to the aquatic environment (chronic)

MAXIMUS LA 5W30

General information	Only trained personnel should use this material. This document contains important information to ensure the safe storage, handling and use of this product. The information in this document should be brought to the attention of the person in your organisation responsible for advising on safety matters. MSDS Distribution : The information in this document should be made available to all who may handle the product. Uses and Restrictions : This product must not be used in applications other than those recommended in Section 1, without first seeking the advice of the supplier. This product is not to be used as a solvent or cleaning agent; for lighting or brightening fires; as a skin cleanser. Disclaimer : This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.
Key literature references and sources for data	This SDS is prepared based on the information received from raw material suppliers.
Classification procedures according to Regulation (EC) 1272/2008	Eye Irrit. 2 - H319, Aquatic Chronic 3 - H412, EUH208: Calculation method., Supplier information
Training advice	Untrained personnel should not use.
Revision comments	Revised classification.
Issued by	Sevda ŞAHAN Certified Safety Data Sheet Preparer (Certificate Id:GBF01.23.08;Dates: 03.11.2018-03.11.2021)
Revision	0
Supersedes date	01/07/2020
SDS number	20570
Hazard statements in full	H304 May be fatal if swallowed and enters airways. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H360 May damage fertility or the unborn child if swallowed. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. H413 May cause long lasting harmful effects to aquatic life. EUH208 Contains Kalsiyum uzun zincirli alkaril sülfonat, Calcium long chain alkaryl sulphonate. May produce an allergic reaction.