

SAFETY DATA SHEET SUPER GRES EP 00

According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended. Commission Regulation (EU) 2020/878 of 18 June 2020.

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name SUPER GRES EP 00

Product number 43120

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Grease.

Uses advised againstUse only for intended applications.

1.3. Details of the supplier of the safety data sheet

Supplier PETROL OFISI A.Ş.

Ünalan Mahallesi, Libadiye Caddesi No: 82F Kat: 2-3-4, 34700 Üsküdar/ Istanbul

Tel: +90 850 339 1919 Fax: +90 216 275 3854 madeniyag@petrolofisi.com.tr

Contact person Customer Services: madeniyag@petrolofisi.com.tr

1.4. Emergency telephone number

Emergency telephone Madeni Yağ Customer Services: 0850 339 1919 (working hours)

National emergency telephone

number

National Poison Consultance Center: 114 Emergency Medical Services: 112

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

Physical hazards Not Classified

Health hazards Not Classified

Environmental hazards Aquatic Chronic 3 - H412

Human health Prolonged skin contact may cause temporary irritation. Splashes in the eyes may cause redness and

irritation.

Environmental The product is not expected to be hazardous to the environment.

2.2. Label elements

Hazard statements H412 Harmful to aquatic life with long lasting effects.

Precautionary statements P273 Avoid release to the environment.

P501 Dispose of contents/ container in accordance with national regulations.

2.3. Other hazards

No other information known.

SECTION 3: Composition/information on ingredients

3.2. Mixtures



According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended. Commission Regulation (EU) 2020/878 of 18 June 2020.

Distillates (petroleum), hydrotreated heavy paraffinic

40-60%

CAS number: 64742-54-7

EC number: 265-157-1

REACH registration number: 01-

2119484627-25-0033

Classification

Not Classified

Distillates (petroleum), hydrotreated heavy naphthenic

40-60%

CAS number: 64742-52-5 EC number: 265-155-0

Classification

Not Classified

Phosphorodithioic acid, mixed O,O-bis (2-ethylhexyl and iso-Bu and

<1%

pentyl) esters, zinc salts

CAS number: — EC number: 273-527-9

Classification

Skin Irrit. 2 - H315 Eye Dam. 1 - H318 Aquatic Chronic 2 - H411

2,6-di-tert-butylphenol

<1%

CAS number: 128-39-2

EC number: 204-884-0

M factor (Acute) = 1

M factor (Chronic) = 1

Classification

Skin Irrit. 2 - H315 Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410

Bis(nonilfenil)amin

<1%

CAS number: 36878-20-3

EC number: 253-249-4

Classification

Aquatic Chronic 4 - H413



SUPER GRES EP 00

According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended. Commission Regulation (EU) 2020/878 of 18 June 2020.

Reaction products of Dihydro-3-(tetrapropenyl) furan-2,5 dione with

<1%

Propane-1,2,diol

CAS number: — EC number: 947-696-0

Classification

Acute Tox. 4 - H302 Skin Irrit. 2 - H315 Eye Dam. 1 - H318 Aquatic Chronic 3 - H412

Hidrokarbonlar, C10-13, aromatikler, <1%, naftalen

<1%

CAS number: — EC number: 922-153-0

Classification

Asp. Tox. 1 - H304 Aquatic Chronic 2 - H411

N-1-naftilanilin <1%

CAS number: 90-30-2 EC number: 201-983-0

M factor (Acute) = 1 M factor (Chronic) = 1

Classification

Acute Tox. 4 - H302 Skin Sens. 1B - H317 STOT RE 2 - H373 Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410

Fuelsi diesel <1%

CAS number: 68334-30-5 EC number: 269-822-7

Classification Carc. 2 - H351

The full text for all hazard statements is displayed in Section 16.

Composition comments Some substances are not classified by legistlation. They are self classified by the manufacturer. The

DMSO extract by IP 346 of the oil is less than 3%

Ingredient notes See Section 8 for occupational exposure limits.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information Get medical attention if any discomfort continues.

Inhalation Move affected person to fresh air at once. Rinse nose and mouth with water. Get medical attention if any

discomfort continues.



SUPER GRES EP 00

According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended. Commission Regulation (EU) 2020/878 of 18 June 2020.

Ingestion Never give anything by mouth to an unconscious person. Do not induce vomiting. Rinse mouth thoroughly

with water. Get medical attention if any discomfort continues.

Skin contact Remove affected person from source of contamination. Remove contaminated clothing. Wash skin

thoroughly with soap and water. Get medical attention if any discomfort continues.

Eye contact Remove affected person from source of contamination. Remove any contact lenses and open eyelids

wide apart. Continue to rinse for at least 15 minutes and get medical attention.

Protection of first aiders First aid personnel should wear appropriate protective equipment during any rescue.

4.2. Most important symptoms and effects, both acute and delayed

General information Treat symptomatically.

InhalationNo specific symptoms known.IngestionNo specific symptoms known.Skin contactNo specific symptoms known.Eye contactNo specific symptoms known.

4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor Treat symptomatically.

Specific treatments Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire.

Unsuitable extinguishing media Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture

Specific hazards Not known.

Hazardous combustion products None known.

5.3. Advice for firefighters

Protective actions during

firefighting

Avoid breathing fire gases or vapours.

Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.

Special protective equipment for

firefighters

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Wear protective clothing as described in Section 8 of this safety data sheet.



SUPER GRES EP 00

According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended. Commission Regulation (EU) 2020/878 of 18 June 2020.

For emergency responders

Notification: In case of spillage, notify the local authorities as appropriate or as necessary. Stop the leakage source if it can be done without risk.Limit spillage to prevent further contamination of soil, surface or ground water.Remove any spilled material as soon as possible by following the precautions in the section Exposure Controls / Personal Protection.Use suitable techniques such as non-flammable absorbent materials or pumping.When possible or appropriate, remove the contaminated soil from the area.Place contaminated products in disposable boxes and dispose of in accordance with regulations.If a heated material is spilled, allow it to cool before handling with disposal methods. Proper ventilation should be provided.

6.2. Environmental precautions

Environmental precautionsDo not discharge into drains or watercourses or onto the ground.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up Stop leak if possible without risk. Absorb in vermiculite, dry sand or earth and place into containers. Flush

contaminated area with plenty of water. Avoid the spillage or runoff entering drains, sewers or

watercourses.

6.4. Reference to other sections

Reference to other sections See Section 7 for more information on safe handling. For personal protection, see Section 8. See Section

1 for emergency contact information. For waste disposal, see Section 13. See Section 11 for additional

information on health hazards. See Section 12 for additional information on ecological hazards.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions Avoid spilling. Avoid contact with skin and eyes.

Advice on general occupational

hygiene

Do not eat, drink or smoke when using this product. Take off immediately all contaminated clothing and wash it before reuse. Wash after use and before eating, smoking and using the toilet. Wash hands and

any other contaminated areas of the body with soap and water before leaving the work site.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Store in tightly-closed, original container in a dry, cool and well-ventilated place. Keep only in the original

container.

Storage class Chemical storage.

7.3. Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

Usage description The product must be used as specified in the data sheet.

SECTION 8: Exposure controls/Personal protection

8.1. Control parameters

Occupational exposure limits

Distillates (petroleum), hydrotreated heavy paraffinic

Oil mist: TWA: 5 mg/m3 (ACGIH).In no case should this limit be exceeded or the local limit, if it is more restrictive.

Distillates (petroleum), hydrotreated heavy naphthenic

Mineral Oil; TWA: 5 mg/m3, ACGIH (United States)

Ingredient comments WEL = Workplace Exposure Limits

Biological limit values No information available.



According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended. Commission Regulation (EU) 2020/878 of 18 June 2020.

DNEL No other information known.

DMEL No other information known.

PNEC No other information known.

Phosphorodithioic acid, mixed O,O-bis (2-ethylhexyl and iso-Bu and pentyl) esters, zinc salts

DNEL Workers - Dermal; Long term systemic effects: 9,6 mg/kg, bw/day

Consumer - Dermal; Long term systemic effects: 4,8 mg/kg, bw/day Consumer - Oral; Long term systemic effects: 0,19 mg/kg, bw/day

PNEC - Water; 0,004 mg/l

2,6-di-tert-butylphenol (CAS: 128-39-2)

DNEL Workers - Dermal; Long term systemic effects: 11,25 mg/kg, bw/day

Workers - Inhalation; Long term systemic effects: 70,61 mg/m³ Consumer - Oral; Long term systemic effects: 6,75 mg/kg, bw/day Consumer - Inhalation; Long term systemic effects: 20,9 mg/m³

PNEC - Water; 0,00045 mg/l

- marine water; 0,000045 mg/l

Damıtıklar (petrol), hidrojenle muamele edilmiş ağır parafinik (CAS: 64742-54-7)

DNEL Workers - Inhalation; Long term : 5,4 mg/m³

Consumer - Inhalation; Long term: 1,2 mg/m³

PNEC Oral Value: 9,33 mg/kg

Bis(nonilfenil)amin (CAS: 36878-20-3)

PNEC Water; 0,1 mg/l

Reaction products of Dihydro-3-(tetrapropenyl) furan-2,5 dione with Propane-1,2,diol

DNEL Workers - Dermal; Long term systemic effects: 4 mg/kg, bw/day

Consumer - Dermal; Long term systemic effects: 2 mg/kg, bw/day Consumer - Oral; Long term systemic effects: 2 mg/kg, bw/day

8.2. Exposure controls

Protective equipment







Appropriate engineering controls

Provide adequate ventilation. Avoid inhalation of vapours. Observe any occupational exposure limits for the product or ingredients.

Personal protection Koruyucu elbise ve önlüklerin düzenli bakımı yapılmalıdır.

Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact

is possible. The following protection should be worn: Chemical splash goggles or face shield.



According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended. Commission Regulation (EU) 2020/878 of 18 June 2020.

Hand protection Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk

assessment indicates skin contact is possible.

Other skin and body protection Wear appropriate clothing to prevent any possibility of skin contact.

Hygiene measures Provide eyewash station. Do not smoke in work area. Wash at the end of each work shift and before

eating, smoking and using the toilet. Promptly remove any clothing that becomes contaminated. Use

appropriate skin cream to prevent drying of skin. When using do not eat, drink or smoke.

Respiratory protection No specific recommendations. Respiratory protection may be required if excessive airborne contamination

occurs.

Thermal hazards If there is a risk of contact with hot product, all protective equipment worn should be suitable for use with

high temperatures.

requirements of environmental protection legislation. Store in a demarcated bunded area to prevent

release to drains and/or watercourses.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance Semi-solid

Colour Yellow.

Odour Characteristic.

Odour threshold Inconclusive data.

pH Scientifically unjustified.

Melting pointInconclusive data.Initial boiling point and rangeInconclusive data.Flash pointInconclusive data.Evaporation rateInconclusive data.Evaporation factorInconclusive data.Flammability (solid, gas)Inconclusive data.Upper/lower flammability orInconclusive data.

explosive limits

Bulk density

Other flammability Inconclusive data.

Vapour pressure Inconclusive data.

Vapour density Inconclusive data.

Relative density Inconclusive data.

Inconclusive data.

Solubility(ies) Insoluble in water.

Partition coefficient Inconclusive data.

Auto-ignition temperature Inconclusive data.



SUPER GRES EP 00

According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended. Commission Regulation (EU) 2020/878 of 18 June 2020.

Decomposition Temperature Inconclusive data.

Viscosity Inconclusive data.

Explosive properties Inconclusive data.

Explosive under the influence of a Inconclusive data.

flame

Oxidising properties Inconclusive data.

Comments No other information known.

Particle characteristic Not applicable.

9.2. Other information

Other information The information given is for the final product.

Refractive index No information required.

Particle size No information required.

Molecular weight No information required.

Volatility No information required.

Saturation concentration No information required.

Critical temperature No information required.

Volatile organic compound No information required.

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity This product is stable under normal conditions.

10.2. Chemical stability

Stability Stable at normal ambient temperatures.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None known.

10.4. Conditions to avoid

Conditions to avoid Avoid excessive heat for prolonged periods of time. Avoid contact with strong oxidising agents.

10.5. Incompatible materials

Materials to avoid Strong reducing agents. Strong oxidising agents. Strong alkalis. Strong acids.

10.6. Hazardous decomposition products

Hazardous decomposition Non

products

None known.

SECTION 11: Toxicological information

11.1. Information on toxicological effects



According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended. Commission Regulation (EU) 2020/878 of 18 June 2020.

Information on hazard classes as defined in Regulation (EC) No 1272/2008

Other health effects Based on available data the classification criteria are not met.

Toxicological effectsBased on available data the classification criteria are not met.

Acute toxicity - oral

Summary Based on available data the classification criteria are not met.

Notes (oral LD₅₀) Based on available data the classification criteria are not met.

Acute toxicity - dermal

Summary Based on available data the classification criteria are not met.

Notes (dermal LD₅₀) Based on available data the classification criteria are not met.

Acute toxicity - inhalation

Summary Based on available data the classification criteria are not met.

Notes (inhalation LC₅₀)

Based on available data the classification criteria are not met.

Skin corrosion/irritation

Summary No other information known.

Skin corrosion/irritationBased on available data the classification criteria are not met.

Animal data

No other information known.

Human skin model test

No other information known.

Extreme pH

No other information known.

Serious eye damage/irritation

Summary Based on available data the classification criteria are not met.

Serious eye damage/irritation Based on available data the classification criteria are not met.

Respiratory sensitisation

Summary No other information known.

Respiratory sensitisation No other information known.

Skin sensitisation

Summary No other information known.

Skin sensitisation No other information known.

Germ cell mutagenicity

Summary

No other information known.

Genotoxicity - in vitro

No other information known.

Genotoxicity - in vivo

No other information known.

Carcinogenicity

Summary No other information known.

Carcinogenicity No other information known.



According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended. Commission Regulation (EU) 2020/878 of 18 June 2020.

Target organ for carcinogenicity No other information known.

IARC carcinogenicity

No other information known.

NTP carcinogenicity No other information known.

Reproductive toxicity

Summary No other information known.

Reproductive toxicity - fertility No other information known.

Reproductive toxicity -

No other information known.

development

Specific target organ toxicity - single exposure

Summary No other information known.

STOT - single exposure No other information known.

Target organs No other information known.

Specific target organ toxicity - repeated exposure

Summary No other information known.

STOT - repeated exposure No other information known.

Target organsNo other information known.

Aspiration hazard

Summary No other information known.

Aspiration hazard No other information known.

Toxicokinetics No other information known.

General information No other information known.

Inhalation Gas or vapour in high concentrations may irritate the respiratory system. Symptoms following

overexposure may include the following: Coughing.

Ingestion May cause discomfort if swallowed.

Skin contact Liquid may irritate skin.

Eye contact May cause temporary eye irritation.

Acute and chronic health hazards No other information known.

Route of exposure No other information known.

Target organs No other information known.

Medical symptoms No other information known.

Medical considerations No other information known.

11.2 Information on other hazards

Information on other hazards This product does not have endocrine disrupting properties.

Toxicological information on ingredients.



According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended. Commission Regulation (EU) 2020/878 of 18 June 2020.

Distillates (petroleum), hydrotreated heavy paraffinic

Acute toxicity - oral

Notes (oral LD₅₀) LD₅₀ >2000 mg/kg, Oral,

Acute toxicity - dermal

Notes (dermal LD₅₀) LD₅₀ >2000 mg/kg, Dermal,

Carcinogenicity

Summary The base oils in the product content contain less than 3% DMSO according to IP 346.

Distillates (petroleum), hydrotreated heavy naphthenic

Acute toxicity - oral

Notes (oral LD₅o) LD₅o >5000 mg/kg, Oral, Rat

Acute toxicity - dermal

Notes (dermal LD₅o) LD₅o >5000 mg/kg, Dermal, Rabbit

Acute toxicity - inhalation

Notes (inhalation LC50) LC50 >5,53 mg/l, 4 hour, Dust/Mist Rat

Skin corrosion/irritation

Skin corrosion/irritation Not irritating.

Serious eye damage/irritation

Serious eye damage/irritation Not irritating.

Skin sensitisation

Skin sensitisation Not sensitising.

Germ cell mutagenicity

Genotoxicity - in vitro Chromosome aberration: Negative.

Carcinogenicity

Carcinogenicity Negative., Dermal, Mouse, Female

Reproductive toxicity

Reproductive toxicity -

Teratogenicity: -: Negative., Dermal, Rat

development

Phosphorodithioic acid, mixed O,O-bis (2-ethylhexyl and iso-Bu and pentyl) esters, zinc salts

Acute toxicity - oral

Notes (oral LD₅o) LD₅o 3600 mg/kg, Oral, Rat NOAEL, Sub-akut 125 mg/kg, Oral, Rat

Acute toxicity - dermal

Notes (dermal LD₅₀) LD₅₀ 13800 mg/kg, Dermal, Rabbit

Acute toxicity - inhalation

Notes (inhalation LC₅₀) LC50 >2 mg/l, 1 hour, Vapour Rat

Skin sensitisation



SUPER GRES EP 00

According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended. Commission Regulation (EU) 2020/878 of 18 June 2020.

Skin sensitisation Not sensitising.

Germ cell mutagenicity

Gene mutation: Positive. Bacterial reverse mutation test: Negative.

Reproductive toxicity

Reproductive toxicity - fertility Fertility - Negative., Oral, Rat, Male

Reproductive toxicity -

development

Maternal toxicity: -: Positive., Oral, Rat, Male Developmental toxicity: -: Ambiguous uncertain,

Oral, Rat, Male

2,6-di-tert-butylphenol

Acute toxicity - oral

Notes (oral LD50) LD50 > 5000 mg/kg, Oral, Rat NOAEL, Sub-kronik 270 mg/kg, Oral, Rat NOAEL, Sub-akut 100

mg/kg, Oral, Rat

Acute toxicity - dermal

Notes (dermal LD₅o) LD₅o >10000 mg/kg, Dermal, Rabbit

Skin corrosion/irritation

Skin corrosion/irritation Skin irritation.

Serious eye damage/irritation

Serious eye damage/irritation Not irritating.

Skin sensitisation

Skin sensitisation Not sensitising.

Germ cell mutagenicity

Genotoxicity - in vitro Bacterial reverse mutation test: Negative. Chromosome aberration: Negative.

Reproductive toxicity

Reproductive toxicity - fertility Fertility - Negative., Oral, Rat

Reproductive toxicity -

development

Developmental toxicity: -: Ambiguous uncertain, Oral, Rat Maternal toxicity: -: Positive., Oral,

Rat

Damıtıklar (petrol), hidrojenle muamele edilmiş ağır parafinik

Acute toxicity - oral

Notes (oral LD₅₀) LD₅₀ >5000 mg/kg, Oral, Rat LOAEL, Sub-kronik 125 mg/kg, Oral, Rat

Acute toxicity - dermal

Notes (dermal LD₅₀) LD₅₀ >5000 mg/kg, Dermal, Rabbit NOAEL, Sub-kronik 30 mg/kg, Dermal, Rat, Female

NOAEL, Sub-akut 1000 mg/kg, Dermal, Rabbit

Acute toxicity - inhalation

Notes (inhalation LC50) LC50 >5,53 mg/l, 4 hour, Vapour Rat NOAEL, Sub-kronik 0,22 mg/l, 4 week, Dust/Mist Rat

NOAEL, Sub-kronik 0,15 mg/l, 13 week, Dust/Mist Rat

Skin corrosion/irritation

Skin corrosion/irritation Not irritating.



SUPER GRES EP 00

According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended. Commission Regulation (ÉÙ) 2020/878 of 18 June 2020.

Serious eye damage/irritation

Serious eye damage/irritation Not irritating

Skin sensitisation

Not sensitising. Skin sensitisation

Germ cell mutagenicity

Genotoxicity - in vitro Bacterial reverse mutation test: Negative. Chromosome aberration: Negative.

Carcinogenicity

Carcinogenicity 78 week, Negative., Dermal, Mouse

Reproductive toxicity

Reproductive toxicity - fertility Fertility - Negative., Oral, Rat

Reproductive toxicity -

Developmental toxicity: - Negative.: , Oral, Rat

development

Bis(nonilfenil)amin

Teratogenicity: -: Negative., Dermal, Rat Maternal toxicity: - Negative.:, Oral, Rat

Acute toxicity - oral

Notes (oral LD₅₀) LD₅₀ >5000 mg/kg, Oral, Rat LOAEL, Sub-kronik 100 mg/kg, Oral, Rat

Acute toxicity - dermal

Notes (dermal LD₅₀) LD₅o >2000 mg/kg, Dermal, Rat

Skin corrosion/irritation

Skin corrosion/irritation Moderately irritating.

Skin sensitisation

Skin sensitisation Not sensitising.

Germ cell mutagenicity

Genotoxicity - in vitro Bacterial reverse mutation test: Negative. Chromosome aberration: Negative. Rodent

Dominant Lethal Test: Negative.

Reproductive toxicity

Reproductive toxicity -

development

Teratogenicity: -: Negative., Oral, Rat

Reaction products of Dihydro-3-(tetrapropenyl) furan-2,5 dione with Propane-1,2,diol

Acute toxicity - oral

Notes (oral LD₅₀) LD₅₀ 2000 mg/kg, Oral, Rat NOAEL, Sub-kronik 300 mg/kg, Oral, Rat

ATE oral (mg/kg) 500.0

Acute toxicity - dermal

Notes (dermal LD50) LD₅o >2000 mg/kg, Dermal, Rat

Skin corrosion/irritation

Skin irritation Skin corrosion/irritation



SUPER GRES EP 00

According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended. Commission Regulation (EU) 2020/878 of 18 June 2020.

Serious eye damage/irritation

Serious eye damage/irritation Moderately irritating.

Skin sensitisation

Skin sensitisation Not sensitising.

Germ cell mutagenicity

Genotoxicity - in vitroBacterial reverse mutation test: Negative. Chromosome aberration: Negative.

Reproductive toxicity

Reproductive toxicity - fertility - Negative., Oral, Rat

Reproductive toxicity -

development

Maternal toxicity: -: Negative., Oral, Rat Developmental toxicity: -: Negative., Oral, Rat

Teratogenicity: -: Negative., Oral, Rat

Distillates (petroleum) solvent dewaxed heavy paraffinic

Acute toxicity - oral

Notes (oral LD₅o) LD₅o >5000 mg/kg, Oral, Rat

Acute toxicity - dermal

Notes (dermal LD50) LD50 > 5000 mg/kg, Dermal, Rabbit NOAEL, Sub-akut 1000 mg/kg, Dermal, Rabbit

Acute toxicity - inhalation

Notes (inhalation LCso) LC50 >5,53 mg/l, 4 hour, Vapour Rat NOAEL, Sub-kronik 0,15 mg/l, 13 week, Vapour Rat

Skin corrosion/irritation

Skin corrosion/irritation Not irritating.

Serious eye damage/irritation

Serious eye damage/irritation Not irritating.

Respiratory sensitisation

Respiratory sensitisation Not sensitising.

Germ cell mutagenicity

Genotoxicity - in vitroBacterial reverse mutation test: Negative. Chromosome aberration, memeliler-hayvan:

Negative.

Carcinogenicity

Carcinogenicity NOAEL 78 weeks., Dermal, Negative., Mouse

Reproductive toxicity

Reproductive toxicity - fertility - Negative. , Oral, Rat

Reproductive toxicity -

Maternal toxicity: - Negative.: , Oral, Rat Developmental toxicity: - Negative.: , Dermal, Rat

Teratogenicity: -: Negative., Dermal, Rat

Aspiration hazard

development

Aspiration hazard Aspiration Hazard

Hidrokarbonlar, C10-13, aromatikler, <1%, naftalen



SUPER GRES EP 00

According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended. Commission Regulation (EU) 2020/878 of 18 June 2020.

Acute toxicity - oral

Notes (oral LD₅o) LD₅o >5000 mg/kg, Oral, Rat NOAEL, Sub-kronik 750 mg/kg, Oral, Rat

Acute toxicity - dermal

Notes (dermal LD₆₀) LD₅₀ >2000 mg/kg, Dermal, Rabbit NOAEL, Sub-kronik 495 mg/kg, Dermal, Rat

Acute toxicity - inhalation

Notes (inhalation LC₅₀) LC50 >5,28 mg/m³, 4 hour, Vapour Rat NOAEL, Sub-kronik 1000 mg/m³, 90 day, Vapour Rat

Skin corrosion/irritation

Skin corrosion/irritation Not irritating.

Serious eye damage/irritation

Serious eye damage/irritation Not irritating.

Skin sensitisation

Skin sensitisation Not sensitising.

Germ cell mutagenicity

Genotoxicity - in vitro Bacterial reverse mutation test: Negative. In vitro Sister Chromatid Exchange Assay:

Negative.

Reproductive toxicity

Reproductive toxicity - fertility Fertility - Negative., Oral, Rat

Reproductive toxicity -

development

Developmental toxicity: -: Negative., Oral, Rat Maternal toxicity: -: Positive., Oral, Rat

Aspiration hazard

Aspiration hazard Aspiration Hazard

N-1-naftilanilin

Acute toxicity - oral

Notes (oral LD50) LD50 1625 mg/kg, Oral, Rat Potential chronic effects on health: 407 Repeated Dose 28-day

Oral Toxicity Study in Rodents Sub-akut, NOAEL 5 mg/kg, Oral, Rat 408 Repeated Dose 90-

Day Oral Toxicity Study in Rodents Sub-kronik, NOAEL 5 mg/kg, Oral, Rat

ATE oral (mg/kg) 500.0

Acute toxicity - dermal

Notes (dermal LD₅o) LD₅o >2000 mg/kg, Dermal, Rabbit

Skin corrosion/irritation

Skin corrosion/irritation Not irritating.

Serious eye damage/irritation

Serious eye damage/irritation Not irritating.

Skin sensitisation

Skin sensitisation Sensitising

Germ cell mutagenicity



According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended. Commission Regulation (EU) 2020/878 of 18 June 2020.

Genotoxicity - in vitro Bacterial reverse mutation test: Negative. Chromosome aberration: Negative.

Reproductive toxicity

Reproductive toxicity -

development

Teratogenicity: -: Negative., Oral, Rat

Specific target organ toxicity - repeated exposure

Target organs Kidneys Blood system

Fuelsi diesel

Carcinogenicity

Carcinogenicity Known or suspected carcinogen for humans.

SECTION 12: Ecological information

Ecotoxicity Aquatic Chronic 3 - H412

Ecological information on ingredients.

Distillates (petroleum), hydrotreated heavy paraffinic

Ecotoxicity May be harmful to aquatic organisms. Spills form film layer on water surface and prevent

oxygen transfer

12.1. Toxicity

Toxicity Aquatic Chronic 3 - H412

Acute aquatic toxicity

Summary Based on available data the classification criteria are not met.

Acute toxicity - fish Based on available data the classification criteria are not met.

Acute toxicity - aquatic

invertebrates

Based on available data the classification criteria are not met.

Acute toxicity - aquatic plants Based on available data the classification criteria are not met.

Acute toxicity - microorganisms Based on available data the classification criteria are not met.

Acute toxicity - terrestrial Based on available data the classification criteria are not met.

Chronic aquatic toxicity

Summary Based on available data the classification criteria are not met.

Chronic toxicity - fish early life

stage

Based on available data the classification criteria are not met.

Short term toxicity - embryo and

sac fry stages

Based on available data the classification criteria are not met.

Chronic toxicity - aquatic

invertebrates

Based on available data the classification criteria are not met.

Toxicity to soil Based on available data the classification criteria are not met.

Toxicity to terrestrial plantsBased on available data the classification criteria are not met.



SUPER GRES EP 00

According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended. Commission Regulation (EU) 2020/878 of 18 June 2020.

Ecological information on ingredients.

Distillates (petroleum), hydrotreated heavy naphthenic

Acute aquatic toxicity

Acute toxicity - fish LL₅₀, 96 hour: >100 mg/l, Fish

Acute toxicity - aquatic EL50, 96 hour: >10000 mg/l, Daphnia magna invertebrates NOEL, chronic, 21 day: 10 mg/l, Daphnia magna

Acute toxicity - aquatic plants NOEL, 72 hour: >100 mg/l, Algae

Phosphorodithioic acid, mixed O,O-bis (2-ethylhexyl and iso-Bu and pentyl) esters, zinc salts

Acute aquatic toxicity

Acute toxicity - aquatic

invertebrates

EL50, 48 hour: 5,4 mg/l, Daphnia magna

Acute toxicity - aquatic plants EL50, 72 hour: 2,1 mg/l, Selenastrum capricornutum

NOEL, 72 hour: 1 mg/l, Selenastrum capricornutum

EL50, 3 hour: >10000 mg/l, Micro-organisms

Acute toxicity -

microorganisms

Chronic aquatic toxicity

Chronic toxicity - aquatic

invertebrates

NOEL, 21 day: 0,4 mg/l, Daphnia magna

2,6-di-tert-butylphenol

Acute aquatic toxicity

LE(C)₅₀ $0.1 < L(E)C50 \le 1$

M factor (Acute)

Acute toxicity - fish LC₅₀, 96 hour: 1,4 mg/l, Pimephales promelas (Fat-head Minnow)

Acute toxicity - aquatic

invertebrates

EC₅₀, 48 hour: 0,45 mg/l, Daphnia magna

Acute toxicity - aquatic plants EC₅₀, 96 hour: 1,2 mg/l, Algae

Acute toxicity - microorganisms

 EC_{50} , 3 hour: >1000 mg/l, Micro-organisms

NOEC, 21 day: 0,035 mg/l, Daphnia magna

Chronic aquatic toxicity

M factor (Chronic) 1

Chronic toxicity - aquatic

invertebrates NOEC, 96 hour: 0,64 mg/l, Alg

Damıtıklar (petrol), hidrojenle muamele edilmiş ağır parafinik

Acute aquatic toxicity

Acute toxicity - fish LL₅₀, 96 hour: >100 mg/l, Pimephales promelas (Fat-head Minnow)

NOEL, chronic, 14 day: 1000 mg/l, Oncorhynchus mykiss (Rainbow trout)



SUPER GRES EP 00

According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended. Commission Regulation (ÉÙ) 2020/878 of 18 June 2020.

Acute toxicity - aquatic

invertebrates

EL50, 48 hour: >10000 mg/l, Daphnia magna

Chronic aquatic toxicity

Chronic toxicity - aquatic

NOEL, 21 day: 10 mg/l, Daphnia magna

invertebrates

NOEL, 72 hour: >=100 mg/l, Pseudokirchneriella subcapitata

Bis(nonilfenil)amin

Acute aquatic toxicity

Acute toxicity - fish LL₅₀, 96 hour: >100 mg/l, Danio rerio (Zebrafish)

Acute toxicity - aquatic

invertebrates

EL50, 48 hour: >100 mg/l, Daphnia magna

Acute toxicity - aquatic plants EL50, 72 hour: >100 mg/l, Desmodesmus subspicatus

Acute toxicity microorganisms IC₅₀, 3 hour: >100 mg/l, Micro-organisms

Chronic aquatic toxicity

Chronic toxicity - aquatic

invertebrates

NOEL, 72 hour: >10 mg/l, Alg

Reaction products of Dihydro-3-(tetrapropenyl) furan-2,5 dione with Propane-1,2,diol

Acute aquatic toxicity

Acute toxicity - fish LC₅₀, 96 hour: 26,3 mg/l, Oncorhynchus mykiss (Rainbow trout)

Acute toxicity - aquatic

invertebrates

EL50, 48 hour: 84,91 mg/l, Daphnia magna

EC₅o, 72 hour: >59,6 mg/l, Pseudokirchneriella subcapitata Acute toxicity - aquatic plants

NOEC, 72 hour: 59,6 mg/l, Pseudokirchneriella subcapitata

Acute toxicity -

microorganisms

EL50, 3 hour: >1000 mg/l, Micro-organisms

Distillates (petroleum) solvent dewaxed heavy paraffinic

Acute aquatic toxicity

LL₅₀, 96 hour: >100 mg/l, Pimephales promelas (Fat-head Minnow) Acute toxicity - fish

NOEL, chronic, 14 day: 1000 mg/l, Oncorhynchus mykiss (Rainbow trout)

Acute toxicity - aquatic

invertebrates

EL50, 48 hour: >10000 mg/l, Daphnia magna

Chronic aquatic toxicity

Chronic toxicity - aquatic

NOEL, 21 day: 10 mg/l, Daphnia magna

invertebrates

NOEL, 72 hour: >=100 mg/l, Pseudokirchneriella subcapitata

Hidrokarbonlar, C10-13, aromatikler, <1%, naftalen

Acute aquatic toxicity

Acute toxicity - fish LL₅₀, 96 hour: 2-5 mg/l, Oncorhynchus mykiss (Rainbow trout)



SUPER GRES EP 00

According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended. Commission Regulation (EU) 2020/878 of 18 June 2020.

Acute toxicity - aquatic

invertebrates

EL50, 48 hour: 1,4 mg/l, Daphnia magna

Acute toxicity - aquatic plants EL50, 72 hour: >1 mg/l, Pseudokirchneriella subcapitata

NOEL, 72 hour: 1 mg/l, Pseudokirchneriella subcapitata

Chronic aquatic toxicity

Chronic toxicity - aquatic

invertebrates

NOEL, 21 day: 0,48 mg/l, Daphnia magna

N-1-naftilanilin

Acute aquatic toxicity

LE(C)₅₀ $0.1 < L(E)C50 \le 1$

M factor (Acute)

Acute toxicity - fish LL₅₀, 96 hour: 0,44 mg/l, Oncorhynchus mykiss (Rainbow trout)

Acute toxicity - aquatic

invertebrates

EL50, 48 hour: 0,3 mg/l, Daphnia magna

Acute toxicity - aquatic plants EL50, 96 hour: 0,93 mg/l, Pseudokirchneriella subcapitata

Acute toxicity -

microorganisms

EL50, 3 hour: >10000 mg/l, Micro-organisms

Chronic aquatic toxicity

M factor (Chronic)

Chronic toxicity - aquatic

invertebrates

NOEL, 21 day: 0,032 mg/l, Daphnia magna

12.2. Persistence and degradability

Persistence and degradability Not applicable.

PhototransformationBased on available data the classification criteria are not met.Stability (hydrolysis)Based on available data the classification criteria are not met.BiodegradationBased on available data the classification criteria are not met.Biological oxygen demandBased on available data the classification criteria are not met.Chemical oxygen demandBased on available data the classification criteria are not met.

Ecological information on ingredients.

Distillates (petroleum), hydrotreated heavy paraffinic

Biodegradation Not expected to be readily biodegradable.

Phosphorodithioic acid, mixed O,O-bis (2-ethylhexyl and iso-Bu and pentyl) esters, zinc salts

Biodegradation OECD 301 B - 1,5 %: 28 day

2,6-di-tert-butylphenol



SUPER GRES EP 00

According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended. Commission Regulation (EU) 2020/878 of 18 June 2020.

Biodegradation OECD TG 302 C - 12-24: % 28 day

Not readily biodegradable.

Damıtıklar (petrol), hidrojenle muamele edilmiş ağır parafinik

Biodegradation OECD 301 F - 31 %: 28 day

Bis(nonilfenil)amin

Biodegradation OECD 301 B - 1: % 28 day

Reaction products of Dihydro-3-(tetrapropenyl) furan-2,5 dione with Propane-1,2,diol

Biodegradation OECD 301 B - 0 %: 28 day

Distillates (petroleum) solvent dewaxed heavy paraffinic

Biodegradation OECD 301 F - 31 %: 28 day

Hidrokarbonlar,C10-13,aromatikler,<1%,naftalen

Biodegradation OECD 301 F - 58,6 %: 28 day

N-1-naftilanilin

Biodegradation OECD 301 C - 0: % 28 day

Not readily biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential Based on available data the classification criteria are not met.

Partition coefficient Inconclusive data.

Ecological information on ingredients.

Distillates (petroleum), hydrotreated heavy paraffinic

Bioaccumulative potential Potentially bioaccumulating.

Distillates (petroleum), hydrotreated heavy naphthenic

Bioaccumulative potential log Pow: 2-6, BCF: <500,

2,6-di-tert-butylphenol

Bioaccumulative potential log Pow: 4,5,

Bis(nonilfenil)amin

Bioaccumulative potential log Pow: 3,64-7,02, BCF: 1730,

Hidrokarbonlar,C10-13,aromatikler,<1%,naftalen



SUPER GRES EP 00

According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended. Commission Regulation (EU) 2020/878 of 18 June 2020.

Bioaccumulative potential log Pow: 2,8-6,5, BCF: 99-5780,

N-1-naftilanilin

Bioaccumulative potential log Pow: 4,28, BCF: 1424,

12.4. Mobility in soil

Surface tension

Mobility The product is immiscible with water and will spread on the water surface.

Adsorption/desorption coefficient Based on available data the classification criteria are not met.

Henry's law constant Based on available data the classification criteria are not met.

Ecological information on ingredients.

Distillates (petroleum), hydrotreated heavy paraffinic

Mobility Liquid under most environmental conditions. Floats on water. If spread into ground the

groundwater may be polluted.

Based on available data the classification criteria are not met.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB

assessment

No other information known.

12.6 Endocrine disrupting

properties

Endocrine disrupting properties

Ecological information on ingredients.

Fuelsi diesel

Results of PBT and vPvB

assessment

This product does not contain any substances classified as PBT or vPvB.

12.6. Other adverse effects

Other adverse effects No other information known.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

General information The generation of waste should be minimised or avoided wherever possible.

Disposal methods Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste

Disposal Authority. Waste, residues, empty containers, discarded work clothes and contaminated cleaning materials should be collected in designated containers, labelled with their contents.

Waste class

The waste code classification is to be carried out according to the European Waste Catalogue (EWC).

SECTION 14: Transport information

General The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA,

ADR/RID).

14.1. UN number



SUPER GRES EP 00

According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended. Commission Regulation (EU) 2020/878 of 18 June 2020.

UN number or ID number

Not applicable.

14.2. UN proper shipping name

Not applicable.

14.3. Transport hazard class(es)

No transport warning sign required.

Transport labels

No transport warning sign required.

14.4. Packing group

Not applicable.

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

No

14.6. Special precautions for user

Not applicable.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Maritime transport in bulk according to IMO instruments

Transport in bulk according to Annex II of MARPOL 73/78 and

Not applicable.

the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations T. C. Regulation on the Classification, Labeling and Packaging of Substances and Mixtures No. 28848,

dated 11 December 2013, by the Ministry of Environment and Urbanization.

According to Regulation (EC) No 1907/2006, Annex II, as amended by Regulation (EU) No 453/2010

EU legislation Commission Regulation (EU) No 453/2010 of 20 May 2010.

Dangerous Preparations Directive 1999/45/EC. Dangerous Substances Directive 67/548/EEC.

Guidance Safety Data Sheets for Substances and Preparations.

Source: European Chemicals Agency, http://echa.europa.eu/

15.2. Chemical safety assessment

Not applicable.

SECTION 16: Other information



SUPER GRES EP 00

According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended. Commission Regulation (EU) 2020/878 of 18 June 2020.

Abbreviations and acronyms used E.U.: European union

in the safety data sheet

DMSO: Dimethyl sulfoxide

STEL: Short term exposure limit

T.C.: Republic of Turkey

TWA: Workplace exposure limits

UZEM: National Poison Information Center

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.

CAS: Chemical Abstracts Service.
GHS: Globally Harmonized System.
DNEL: Derived No Effect Level.

IATA: International Air Transport Association.

ICAO: Technical Instructions for the Safe Transport of Dangerous Goods by Air.

IMDG: International Maritime Dangerous Goods. LC₅₀: Lethal Concentration to 50 % of a test population.

LD₅₀: Lethal Dose to 50% of a test population (Median Lethal Dose).

PBT: Persistent, Bioaccumulative and Toxic substance.

PNEC: Predicted No Effect Concentration.

REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No

1907/2006.

RID: European Agreement concerning the International Carriage of Dangerous Goods by Rail.

vPvB: Very Persistent and Very Bioaccumulative. IARC: International Agency for Research on Cancer.

MARPOL 73/78: International Convention for the Prevention of Pollution From Ships, 1973 as modified

by the Protocol of 1978. BCF: Bioconcentration Factor.

LOAEL: Lowest Observed Adverse Effect Level.
NOAEL: No Observed Adverse Effect Level.
NOEC: No Observed Effect Concentration.
DMEL: Derived Minimal Effect Level.

Classification abbreviations and

acronyms

Acute Tox. = Acute toxicity

STOT RE = Specific target organ toxicity-repeated exposure

Skin Sens. = Skin sensitisation Skin Irrit. = Skin irritation Eye Irrit. = Eye irritation Carc. = Carcinogenicity

Aquatic Chronic = Hazardous to the aquatic environment (chronic)
Aquatic Acute = Hazardous to the aquatic environment (acute)

General information

MSDS Distribution: The information in this document should be made available to all who may handle the product. Uses and Restrictions: This product must not be used in applications other than those recommended in Section 1, without first seeking the advice of the supplier. This product is not to be used as a solvent or cleaning agent; for lighting or brightening fires; as a skin cleanser. This document contains important information to ensure the safe storage, handling and use of this product. The information in this document should be brought to the attention of the person in your organisation responsible for advising on safety matters. Disclaimer: This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

Key literature references and sources for data

This SDS is prepared based on the information received from raw material suppliers. Source: European Chemicals Agency, http://echa.europa.eu/

Classification procedures according to Regulation (EC) 1272/2008

Aquatic Chronic 3 - H412: Calculation method., Supplier information



SUPER GRES EP 00

According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended. Commission Regulation (EU) 2020/878 of 18 June 2020.

Training advice Untrained personnel should not use.

Revision comments Revised classification. Adding content information.

Issued by Ece Yigit Chemical Assessment Specialist (Certificate No: KDU01.30.08 18.02.2028)

Revision date 19/02/2024

Revision 4

Supersedes date 13/06/2011

SDS number 10260

Hazard statements in full H302 Harmful if swallowed.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction. H318 Causes serious eye damage.

H351 Suspected of causing cancer if swallowed.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.
H411 Toxic to aquatic life with long lasting effects.
H412 Harmful to aquatic life with long lasting effects.
H413 May cause long lasting harmful effects to aquatic life.

H373 May cause damage to organs through prolonged or repeated exposure if swallowed or if inhaled.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.